



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2012 - June 30, 2013

Filing Confirmation Number: 0005858375

Filing Deadline: July 15, 2013

FRN: 0004321311

Filing Date: 07/15/2013 02:58 PM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: Motorola Mobility, LLC
Brand Names: Motorola
PO Box:
Street Address: 600 North U.S. Highway 45
City: Libertyville
State: IL
Zip Code: 60048

Contact Name: Scott Kelley
Contact Phone: (847) 523-0821
Contact Fax:
Contact Email: scott.kelley@motorola.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?

N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.motorola.com/hacphones>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: 1. Motorola attended several meetings with the World Institute on Disability with a Motorola staff member on the WID Board of Directors.

2. Motorola attended the 2013 CSUN conference in San Diego, CA.

3. Motorola attended the 2013 CTIA roundtable discussion Wireless Accessibility: Building Bridges, Defining Needs, and Interpreting Policy in Las Vegas, NV.

4. Motorola staff participated as a guest speaker at the 2013 AFB Leadership Conference in Chicago, IL.

5. Motorola participated with the Hadley School for the Blind in examining the user interface of Android-based tablet devices in Chicago, IL.

6. A Motorola staff member is chair of the Accessibility Working Group of the Mobile Manufacturers Forum and attended several meetings gathering inputs from various regulatory, industry and disability groups.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 40

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 40

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
GSM	8	62%			5	38%	13	
CDMA	9	100%					9	
WCDMA	6	55%			5	45%	11	
iDEN	10	56%	4	22%	4	22%	18	

Handset 1: Motorola Atrix 2

Handset Maker

Motorola

Handset Model Name

Atrix 2

FCC ID

IHDT56MV1

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 10/11 to 01/13

Ratings

M-Rating: M3

M-Rating Certification Date: 09/15/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/15/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 2: Motorola ATRIX HD

Handset Maker

Motorola

Handset Model Name

ATRIX HD

FCC ID

IHDP56MB4

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 06/14/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/14/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 3: Motorola Defy XT

Handset Maker

Motorola

Handset Model Name

Defy XT

FCC ID

IHDT56NC2

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 04/24/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/24/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 4: Motorola DROID 4

Handset Maker

Motorola

Handset Model Name

DROID 4

FCC ID

IHDP56MN1

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 02/12 to 09/12

Ratings

M-Rating: M4

M-Rating Certification Date: 12/05/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/05/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 5: Motorola Droid RAZR

Handset Maker

Motorola

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 01/13

Ratings

M-Rating: M4

M-Rating Certification Date: 10/18/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 10/18/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 6: Motorola DROID RAZR HD****Handset Maker**

Motorola

Handset Model Name**FCC ID**

DROID RAZR HD

IHDT56NG1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 07/23/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/23/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 7: Motorola DROID RAZR M

Handset Maker

Motorola

Handset Model Name

DROID RAZR M

FCC ID

IHDT56NS1

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 08/16/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/16/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 8: Motorola DROID RAZR MAXX

Handset Maker

Motorola

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 01/13

Ratings

M-Rating: M4

M-Rating Certification Date: 10/18/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 10/18/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 9: Motorola ELECTRIFY 2**Handset Maker**

Motorola

Handset Model Name**FCC ID**

ELECTRIFY 2

IHDT56NH5

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 12/12

Ratings

M-Rating: M4

M-Rating Certification Date: 07/03/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/03/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 10: Motorola ELECTRIFY M

Handset Maker

Motorola

Handset Model Name

ELECTRIFY M

FCC ID

IHDP56NA1

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 10/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 10/26/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/26/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 11: Motorola i296

Handset Maker

Motorola

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

800 MHz iDEN
900 MHz iDEN

Dates

This handset model was offered from: 04/10 to 12/12

Ratings

M-Rating: M3

M-Rating Certification Date: 01/18/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 12: Motorola i335**Handset Maker**

Motorola

Handset Model Name

i335

FCC ID

IHDT56HG2

Air Interfaces/Frequency Bands

800 MHz iDEN
900 MHz iDEN

Dates

This handset model was offered from: 09/07 to 06/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 13: Motorola i365

Handset Maker

Motorola

Handset Model Name

i365

FCC ID

IHDP56HJ1

Air Interfaces/Frequency Bands

800 MHz iDEN

900 MHz iDEN

Dates

This handset model was offered from: 01/09 to 12/12

Ratings

M-Rating: M3

M-Rating Certification Date: 07/21/08

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 14: Motorola i365IS

Handset Maker

Motorola

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

800 MHz iDEN
900 MHz iDEN

Dates

This handset model was offered from: 01/09 to 12/12

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks**Handset 15: Motorola i412****Handset Maker**

Motorola

Handset Model Name**FCC ID**

i412	IHDT56MR1
i420	IHDT56MR1

Air Interfaces/Frequency Bands

800 MHz iDEN
900 MHz iDEN

Dates

This handset model was offered from: 04/11 to 12/12

Ratings

M-Rating: M3

M-Rating Certification Date: 03/14/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/14/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 16: Motorola i418

Handset Maker

Motorola

Handset Model Name

i418

FCC ID

IHDT56NP1

Air Interfaces/Frequency Bands

800 MHz iDEN

900 MHz iDEN

Dates

This handset model was offered from: 08/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 07/26/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 17: Motorola i440

Handset Maker

Motorola

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

800 MHz iDEN
900 MHz iDEN

Dates

This handset model was offered from: 04/11 to 12/12

Ratings

M-Rating: M3

M-Rating Certification Date: 04/07/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/07/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 18: Motorola i460**Handset Maker**

Motorola

Handset Model Name

i460

FCC ID

IHDP56NB1

Air Interfaces/Frequency Bands

800 MHz iDEN

Dates

This handset model was offered from: 12/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 01/25/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/25/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 19: Motorola i475

Handset Maker

Motorola

Handset Model Name

FCC ID

i475

IHDT56MG1

i475w

IHDT56MG1

Air Interfaces/Frequency Bands

800 MHz iDEN

900 MHz iDEN

Dates

This handset model was offered from: 03/11 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 02/07/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 02/07/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 20: Motorola i485

Handset Maker

Motorola

Handset Model Name

i485

FCC ID

IHDT56NT1

Air Interfaces/Frequency Bands

800 MHz iDEN

900 MHz iDEN

Dates

This handset model was offered from: 11/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 09/12/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 21: Motorola i576

Handset Maker

Motorola

Handset Model Name

i576

FCC ID

IHDP56HS1

Air Interfaces/Frequency Bands

800 MHz iDEN

900 MHz iDEN

Dates

This handset model was offered from: 08/08 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 07/29/08

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/29/08

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 22: Motorola i680

Handset Maker

Motorola

Handset Model Name FCC ID

i680	IHDT56KD1
i686	IHDT56KD1

Air Interfaces/Frequency Bands

800 MHz iDEN
900 MHz iDEN

Dates

This handset model was offered from: 12/09 to 12/12

Ratings

M-Rating: M3

M-Rating Certification Date: 09/29/09

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 09/29/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 23: Motorola i786

Handset Maker

Motorola

Handset Model Name

FCC ID

i786

IHDP56LM1

i786w

IHDP56LM1

Air Interfaces/Frequency Bands

800 MHz iDEN

900 MHz iDEN

Dates

This handset model was offered from: 12/10 to 09/12

Ratings

M-Rating: M3

M-Rating Certification Date: 10/08/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/08/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 24: Motorola i867

Handset Maker

Motorola

Handset Model Name

FCC ID

i867

IHDT56HF1

i867w

IHDT56HF1

Air Interfaces/Frequency Bands

800 MHz iDEN

900 MHz iDEN

Dates

This handset model was offered from: 03/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 12/05/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 12/05/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 25: Motorola i886

Handset Maker

Motorola

Handset Model Name

i886

FCC ID

IHDP56LL1

Air Interfaces/Frequency Bands

800 MHz iDEN

900 MHz iDEN

Dates

This handset model was offered from: 10/10 to 09/12

Ratings

M-Rating: M3

M-Rating Certification Date: 07/09/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/09/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 26: Motorola MOTOGO!

Handset Maker

Motorola

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

850 MHz GSM
 850 MHz WCDMA
 1900 MHz GSM
 1900 MHz WCDMA

Dates

This handset model was offered from: 05/12 to 03/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks**Handset 27: Motorola MOTOGO! Flip****Handset Maker**

Motorola

Handset Model Name**FCC ID**

MOTOGO! Flip

IHDT56ND1

Air Interfaces/Frequency Bands

850 MHz GSM
 850 MHz WCDMA
 1900 MHz GSM
 1900 MHz WCDMA

Dates

This handset model was offered from: 05/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 02/13/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 02/13/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 28: Motorola MOTOSMART

Handset Maker

Motorola

Handset Model Name

MOTOSMART

FCC ID

IHDT56NN1

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 07/12 to 03/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 29: Motorola MOTOSMART PLUS

Handset Maker

Motorola

Handset Model Name FCC ID

MOTOSMART PLUS IHDP56MM6

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 04/12 to 01/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 30: Motorola PHOTON 4G

Handset Maker

Motorola

Handset Model Name FCC ID

PHOTON 4G IHDT56NL2

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 07/03/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/03/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 31: Motorola r765

Handset Maker

Motorola

Handset Model Name

r765

FCC ID

AZ489FT5856

Air Interfaces/Frequency Bands

800 MHz iDEN

900 MHz iDEN

Dates

This handset model was offered from: 01/09 to 12/12

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 32: Motorola r765is

Handset Maker

Motorola

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

800 MHz iDEN
900 MHz iDEN

Dates

This handset model was offered from: 01/09 to 12/12

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks**Handset 33: Motorola RAZR****Handset Maker**

Motorola

Handset Model Name

RAZR

FCC ID

IHDP56ME2

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 11/11 to 10/12

Ratings

M-Rating: M3

M-Rating Certification Date: 10/24/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 10/24/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 34: Motorola Razr D1

Handset Maker

Motorola

Handset Model Name

Razr D1

FCC ID

IHDP56NE1

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 06/13 to 06/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 35: Motorola Razr HD (XT926)

Handset Maker

Motorola

Handset Model Name

Razr HD (XT926)

FCC ID

IHDT56NG9

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 10/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 08/30/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/30/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 36: Motorola Razr i

Handset Maker

Motorola

Handset Model Name

Razr i

FCC ID

IHDT56NS8

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 10/12 to 06/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 37: Motorola Razr V

Handset Maker

Motorola

Handset Model Name

Razr V

FCC ID

IHDT56NH4

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 09/12 to 12/12

Ratings

M-Rating: M3

M-Rating Certification Date: 08/07/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/07/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 38: Motorola Titanium

Handset Maker

Motorola

Handset Model Name

Titanium

FCC ID

IHDT56MH1

Air Interfaces/Frequency Bands

800 MHz iDEN

900 MHz iDEN

Dates

This handset model was offered from: 06/11 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 03/14/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/14/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 39: Motorola W409g

Handset Maker

Motorola

Handset Model Name

W409g

WX346

FCC ID

IHDP56LJ5

IHDP56LJ5

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 08/11 to 01/13

Ratings

M-Rating: M3

M-Rating Certification Date: 06/17/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/17/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 40: Motorola W418g

Handset Maker

Motorola

Handset Model Name

FCC ID

W418g

IHDP56LJ5

WX345

IHDP56LJ5

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 10/10 to 08/12

Ratings

M-Rating: M3

M-Rating Certification Date: 06/17/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/17/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Certification

This Report has been certified by:

Scott Kelley Compliance Manager

07/15/2013 02:58 PM

Reference Copy