



# Federal Communications Commission

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2012 - June 30, 2013

Filing Confirmation Number: 0005858865

Filing Deadline: July 15, 2013

FRN: 0019349547

Filing Date: 07/15/2013 09:53 PM

### General Report Information

#### Type of Company

Device Manufacturer

#### De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

#### Company Information

Company Name: ZTE USA Inc.

Brand Names: ZTE

PO Box:

Street Address: 2425 N Central Expressway, Suite 600

City: Richardson

State: TX

Zip Code: 75010

Contact Name: Gary Hu

Contact Phone: (469) 939-7899

Contact Fax:

Contact Email: gary.hu@zteusa.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

#### Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?

Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Yes

Explain:

### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: www.zteusa.com

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: HAC ratings have been clearly labeled on the box and user manual. The ratings are also listed on company website.

### Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 21

### Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 13

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
GSM	7	100%						7
CDMA	7	100%						7
WCDMA	6	100%						6

### Handset 1: ZTE F555

#### Handset Maker

ZTE

#### Handset Model Name

F555

#### FCC ID

Q78-ZTEF555

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA

### Dates

This handset model was offered from: 12/12 to 06/13

### Ratings

M-Rating: M3

M-Rating Certification Date: 07/04/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/04/12

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 2: ZTE N8000

### Handset Maker

ZTE

### Handset Model Name

N8000

### FCC ID

Q78-N8000

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1700 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 12/12 to 06/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 09/10/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/10/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

### Handset 3: ZTE N850L

#### Handset Maker

ZTE

#### Handset Model Name

N850L

#### FCC ID

Q78-N850L

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

2100 MHz CDMA

#### Dates

This handset model was offered from: 05/13 to 06/13

#### Ratings

M-Rating: M4

M-Rating Certification Date: 02/12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/12/13

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

## Handset 4: ZTE N859

### Handset Maker

ZTE

### Handset Model Name

N859

### FCC ID

Q78-N859

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 11/12 to 06/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 06/28/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/28/12

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 5: ZTE N860

### Handset Maker

ZTE

### Handset Model Name

N860

### FCC ID

Q78-ZTEN860

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 11/12 to 06/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 06/05/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/05/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

### Handset 6: ZTE N861

#### Handset Maker

ZTE

#### Handset Model Name

N861

#### FCC ID

Q78-ZTEN861

#### Air Interfaces/Frequency Bands

1900 MHz CDMA

#### Dates

This handset model was offered from: 12/12 to 06/13

#### Ratings

M-Rating: M4

M-Rating Certification Date: 09/12/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 09/12/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

### Handset 7: ZTE N9120

#### Handset Maker

ZTE

#### Handset Model Name

N9120

#### FCC ID

Q78-ZTEN9120

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1700 MHz CDMA  
1900 MHz CDMA  
1900 MHz LTE  
2100 MHz CDMA  
2100 MHz LTE

### Dates

This handset model was offered from: 03/13 to 06/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 12/03/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 12/03/12

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 8: ZTE V768

### Handset Maker

ZTE

### Handset Model Name

V768

### FCC ID

Q78-ZTEV768

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz CDMA  
1900 MHz GSM  
1900 MHz CDMA  
2100 MHz CDMA

### Dates

This handset model was offered from: 11/12 to 06/13

### Ratings

M-Rating: M3

M-Rating Certification Date: 07/09/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/09/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

### Handset 9: ZTE Z222

#### Handset Maker

ZTE

#### Handset Model Name

Z222

#### FCC ID

Q78-Z222

#### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

#### Dates

This handset model was offered from: 06/13 to 06/13

#### Ratings

M-Rating: M3

M-Rating Certification Date: 11/23/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 11/23/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

## Handset 10: ZTE Z433

### Handset Maker

ZTE

### Handset Model Name

Z433

### FCC ID

Q78-Z431

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
1900 MHz GSM

### Dates

This handset model was offered from: 05/13 to 06/13

### Ratings

M-Rating: M3

M-Rating Certification Date: 11/21/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 11/21/11

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

## Handset 11: ZTE Z788G

### Handset Maker

ZTE

### Handset Model Name

Z788G

### FCC ID

Q78-Z788G

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA

### Dates

This handset model was offered from: 03/13 to 06/13

### Ratings

M-Rating: M3

M-Rating Certification Date: 12/27/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 12/27/12

Version of the ANSI C63.19 standard used during the certification process: 2007

## Remarks

---

## Handset 12: ZTE Z992

### Handset Maker

ZTE

### Handset Model Name

Z992

### FCC ID

Q78-Z992

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

### Dates

This handset model was offered from: 06/13 to 06/13

### Ratings

M-Rating: M3

M-Rating Certification Date: 02/27/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/27/13

Version of the ANSI C63.19 standard used during the certification process: 2011

## Remarks

---

## Handset 13: ZTE Z995

### Handset Maker

ZTE

### Handset Model Name

Z995

### FCC ID

Q78-Z995

### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2100 MHz WCDMA  
2100 MHz LTE

### Dates

This handset model was offered from: 05/13 to 06/13

### Ratings

M-Rating: M3

M-Rating Certification Date: 05/13/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/13/13

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

---

## Certification

### This Report has been certified by:

Gary Hu Director of Wireless Engineering  
07/15/2013 09:53 PM