



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2013 - June 30, 2014
Filing Deadline: July 15, 2014
Filing Date: 07/14/2014 08:28 PM

Filing Confirmation Number: 0006370312
FRN: 0018919456

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: Sony Mobile Communications, Inc.
Brand Names: Xperia
PO Box:
Street Address: 3333 Piedmont Road, Suite 600
City: Atlanta
State: GA
Zip Code: 30305

Contact Name: Scott Ian
Contact Phone: (404) 443-4525
Contact Fax:
Contact Email: Ian.Scott@sonymobile.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?

Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address:

<http://blogs.sonymobile.com/about-us/sustainability/accessibility/overview/hearing-aid-compatibility/>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Sony Mobile continues to provide and update handset information on Hearing Aid Compatibility features through the Sony Mobile Sustainability website:
<http://blogs.sonymobile.com/about-us/sustainability/accessibility/overview/hearing-aid-compatibility/>

Consumers may also locate information regarding to impaired hearing, vision, dexterity or other special needs by visiting the following sites:

<http://accesswireless.org/Find/Manufacturers.aspx>

<http://www.mobileaccessibility.info/>

<http://ach.fcc.gov/products-and-services/mobile-devices/>

In 2014, Sony Mobile Communications maintained outreach efforts through proactive participation with external Accessibility meetings such as Google round table discussion, US Mobile operator accessibility requirement meetings and MMF accessibility Working Group meetings. Special task team was created to improve the internal process for Hearing Aid Compatibility compliancy.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 10

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 27

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
GSM	18	67%	2	7%	7	26%		27
WCDMA	18	67%	2	7%	7	26%		27

Handset 1: Sony Ericsson XPERIA TL

Handset Maker

Sony Ericsson

Handset Model Name

XPERIA TL

FCC ID

PY7PM-0140

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE

Dates

This handset model was offered from: 07/13 to 09/13

Ratings

M-Rating: M3

M-Rating Certification Date: 09/19/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/19/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

This model is not eligible for the power down exception.

Handset 2: Sony Mobile Communications Xperia Advance

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia Advance

FCC ID

PY7PM-0100

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 07/13 to 09/13

Ratings

M-Rating: M3

M-Rating Certification Date: 07/19/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

This model is not eligible for the power down exception.

Handset 3: Sony Mobile Communications Xperia E

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia E

FCC ID

PY7PM-0260

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 07/13 to 02/14

Ratings

M-Rating: M3

M-Rating Certification Date: 12/20/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 12/20/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

This model is not eligible for the power down exception.

Handset 4: Sony Mobile Communications Xperia E dual

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia E dual

FCC ID

PY7PM-0261

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz GSM
2100 MHz WCDMA

Dates

This handset model was offered from: 07/13 to 03/14

Ratings

M-Rating: M3

M-Rating Certification Date: 12/17/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 12/17/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

This model is not eligible for the power down exception.

Handset 5: Sony Mobile Communications Xperia J

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia J

PY7PM-0170

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 07/13 to 01/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

This model is not eligible for the power down exception.

Handset 6: Sony Mobile Communications Xperia L

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia L

FCC ID

PY7PM-0300

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 05/04/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 05/04/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

This model is not eligible for the power down exception.

Handset 7: Sony Mobile Communications Xperia M

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia M

FCC ID

PY7PM-0480

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM

1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 08/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 06/14/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/14/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 8: Sony Mobile Communications Xperia M dual

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia M dual

PY7PM-0481

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1700 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 10/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 08/09/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/09/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

This model is not eligible for the power down exception.

Handset 9: Sony Mobile Communications Xperia M2

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia M2

FCC ID

PY7PM-0720

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
900 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 05/14 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 02/19/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/19/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

This model is not eligible for the power down exception.

Handset 10: Sony Mobile Communications Xperia micro

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia micro

PY7PM-0190

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 07/13 to 09/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

This model is not eligible for the power down exception.

Handset 11: Sony Mobile Communications Xperia SP C5302

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia SP C5302

FCC ID

PY7PM-0360

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
900 MHz WCDMA
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 06/05/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/05/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

This model is not eligible for the power down exception.

Handset 12: Sony Mobile Communications Xperia SP C5306

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia SP C5306

FCC ID

PY7PM-0390

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA

1700 MHz LTE
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE

Dates

This handset model was offered from: 07/13 to 03/14

Ratings

M-Rating: M3

M-Rating Certification Date: 06/07/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/07/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

This model is not eligible for the power down exception.

Handset 13: Sony Mobile Communications Xperia T

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia T

FCC ID

PY7PM-0030

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
900 MHz WCDMA
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 07/13 to 09/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

This model is not eligible for the power down exception.

Handset 14: Sony Mobile Communications Xperia tipo

Handset Maker

Sony Mobile Communications

Handset Model Name FCC ID

Xperia tipo PY7PM-0120

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 07/13 to 09/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

This model is not eligible for the power down exception.

Handset 15: Sony Mobile Communications Xperia tipo dual

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia tipo dual

PY7PM-0121

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 07/13 to 10/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

This model is not eligible for the power down exception.

Handset 16: Sony Mobile Communications Xperia TX

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia TX

FCC ID

PY7PM-0010

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
900 MHz WCDMA
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 07/13 to 10/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

This model is not eligible for the power down exception.

Handset 17: Sony Mobile Communications Xperia Z

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia Z

FCC ID

PY7PM-0520

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
900 MHz WCDMA
1700 MHz WCDMA

1700 MHz LTE
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/13 to 03/14

Ratings

M-Rating: M4

M-Rating Certification Date: 05/28/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 11/21/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

This model is not eligible for the power down exception.
Class II Permissive change was granted on 05/28/2013 for ANSI C63.19 2007 M4
Class II Permissive change was granted on 11/21/2013 for ANSI C63.19 2011 M3/T3

Handset 18: Sony Mobile Communications Xperia Z C6602

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia Z C6602

FCC ID

PY7PM-0280

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
900 MHz WCDMA
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 07/13 to 03/14

Ratings

M-Rating: M3

M-Rating Certification Date: 01/19/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

This model is not eligible for the power down exception.

Handset 19: Sony Mobile Communications Xperia Z Ultra C6802

Handset Maker

Sony Mobile Communications

Handset Model Name	FCC ID
--------------------	--------

Xperia Z Ultra C6802	PY7PM-0530
----------------------	------------

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
900 MHz WCDMA
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 10/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 06/25/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/25/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

This model is not eligible for the power down exception.

Handset 20: Sony Mobile Communications Xperia Z Ultra C6806

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia Z Ultra C6806

PY7PM-0430

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2600 MHz LTE

Dates

This handset model was offered from: 09/13 to 03/14

Ratings

M-Rating: M4

M-Rating Certification Date: 08/19/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 08/19/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

This model is not eligible for the power down exception.

Handset 21: Sony Mobile Communications Xperia Z1 C6902

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia Z1 C6902

PY7PM-0500

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

900 MHz WCDMA

1700 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 09/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 08/08/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/08/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

This model is not eligible for the power down exception.

Handset 22: Sony Mobile Communications Xperia Z1 C6906

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia Z1 C6906

PY7PM-0460

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2600 MHz LTE

Dates

This handset model was offered from: 10/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 08/02/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/02/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

This model is not eligible for the power down exception.

Handset 23: Sony Mobile Communications Xperia Z1 Compact

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia Z1 Compact

PY7PM-0640

Air Interfaces/Frequency Bands

800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2600 MHz LTE

Dates

This handset model was offered from: 03/14 to 06/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

This model is not eligible for the power down exception.

Handset 24: Sony Mobile Communications Xperia Z1S

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia Z1S

FCC ID

PY7PM-0590

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
900 MHz GSM
900 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 01/14 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 11/13/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 11/13/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

This model is not eligible for the power down exception.

Handset 25: Sony Mobile Communications Xperia ZL C6502

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia ZL C6502

PY7PM-0340

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

900 MHz WCDMA

1700 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 07/13 to 12/13

Ratings

M-Rating: M4

M-Rating Certification Date: 06/06/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/06/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

This model is not eligible for the power down exception.

Handset 26: Sony Mobile Communications Xperia ZL C6506

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia ZL C6506

PY7PM-0230

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

900 MHz GSM

900 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1800 MHz GSM

1800 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2100 MHz WCDMA

Dates

This handset model was offered from: 07/13 to 01/14

Ratings

M-Rating: M4

M-Rating Certification Date: 09/11/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/11/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

This model is not eligible for the power down exception.

Handset 27: Sony Mobile Communications Xperia ZR

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia ZR

FCC ID

PY7PM-0310

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
900 MHz WCDMA
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 07/13 to 03/14

Ratings

M-Rating: M3

M-Rating Certification Date: 06/12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/12/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

This model is not eligible for the power down exception.

Certification

This Report has been certified by:

Wayne Moyung Senior Verification Engineer
07/14/2014 08:28 PM