



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2014 - December 31, 2014

Filing Confirmation Number: 0006595207

Filing Deadline: January 15, 2015

FRN: 0001840511

Filing Date: 12/23/2014 04:58 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Illinois Valley Cellular RSA 2-I Partnership

Brand Names: Illinois Valley Cellular

PO Box:

Street Address: 200 Riverfront Drive

City: Marseilles

State: IL

Zip Code: 61341

Contact Name: Kelli Shan

Contact Phone: (815) 224-0081

Contact Fax:

Contact Email: kshan@ivcel.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: Lukas, Nace, Gutierrez & Sachs, LLP

PO Box:

Street Address: 8300 Greensboro Drive, Suite 1200

City: McLean

State: VA

Contact Name: Pamela L. Gist, Esq.
Contact Phone: (703) 584-8665
Contact Fax: (703) 584-8696
Contact Email: pgist@fcclaw.com

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)? Yes

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation? Yes

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure? Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.ivcel.com/support/hearing-aid-compatibility/>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Compliant handset models are publicly identified for consumers and audiologists. Compliant models are listed on the company web site, and retail salespeople are trained to assist with compliant digital wireless phones. Compliant handsets are available for testing from live phone displays in retail locations. Written materials, pamphlets and other promotional literature are provided at the point of sale and on the website, addressing the needs of individuals with hearing disabilities. Consumers are given a 30-day trial period within which to try out digital wireless phones to determine whether they will work properly with their hearing aids.

Methodology for Functionality Levels

Smartphones generally have advanced features such as expandable memory, enhanced camera, Bluetooth, video, Internet access, touch screen UI, faster processing, email, full QWERTY keypads, and in many cases Windows

Office Mobile, to meet the demands of mobile business professionals and consumers.

Mid-Tier Phones may have a camera, Bluetooth, or Internet access capability, but are less likely to offer video, music or media player capability. Design is typically less stylish, tends to be clamshell or flip form factor.

Low-Tier Phones offer basic wireless telephone features, may not have a camera, Bluetooth, or Internet access capability, and generally lack such features MP3 players and expandable memory. Typically utilitarian design suitable for customers using voice/text only, tends to be flip or bar form factor.

Report Remarks

Illinois Valley Cellular operates network facilities utilizing only a CDMA air interface.

You have reported the following handset model summary information.

Total number of handsets offered: 26

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
CDMA	23	88%	2	8%	1	4%	26
Wi-Fi	15	88%	1	6%	1	6%	17

Handset 1: Apple iPhone 4S

Handset Maker

Apple

Handset Model Name

iPhone 4S

FCC ID

BCG-E2430A

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 2: Apple iPhone 5c

Handset Maker

Apple

Handset Model Name

iPhone 5c

FCC ID

BCG-E2644A

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 3: Apple iPhone 5s

Handset Maker

Apple

Handset Model Name

iPhone 5s

FCC ID

BCG-E2642A

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 4: Apple iphone 6

Handset Maker

Apple

Handset Model Name

iphone 6

FCC ID

BCG-E2816A

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 09/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 5: Apple iphone 6 plus

Handset Maker

Apple

Handset Model Name

iphone 6 plus

FCC ID

BCG-E2817A

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 09/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 6: HTC Desire C

Handset Maker

HTC

Handset Model Name

Desire C

FCC ID

NM8PL01210

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 7: HTC One V

Handset Maker

HTC

Handset Model Name

One V

FCC ID

NM8PK76300

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 8: LG AN160

Handset Maker

LG

Handset Model Name

AN160

FCC ID

ZNFAN160

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/14 to 12/14

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low-Tier

Remarks

Handset 9: LG AN170

Handset Maker

LG

Handset Model Name

AN170

FCC ID

ZNFVN170

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low-Tier

Remarks

Handset 10: LG AN272 CONVERSE**Handset Maker**

LG

Handset Model Name**FCC ID**

AN272 CONVERSE

ZNFAN272

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid-Tier

Remarks

Handset 11: LG AS730 Optimus Select

Handset Maker

LG

Handset Model Name

AS730 Optimus Select

FCC ID

ZNFAS730

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 12: LG Optimus Plus

Handset Maker

LG

Handset Model Name

Optimus Plus

FCC ID

ZNFAS695

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 13: Motorola Defy XT

Handset Maker

Motorola

Handset Model Name

Defy XT

FCC ID

IHDT56NC2

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 14: Motorola DROID RAZR MAXX

Handset Maker

Motorola

Handset Model Name

FCC ID

DROID RAZR MAXX

IHDP56ME1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 15: Motorola Milestone X3 Android

Handset Maker

Motorola

Handset Model Name

FCC ID

Milestone X3 Android

IHDT56MF1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 16: Motorola W845**Handset Maker**

Motorola

Handset Model Name

W845

FCC ID

IHDT56KS1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 05/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid-Tier

Remarks

Handset 17: Motorola XT1031

Handset Maker

Motorola

Handset Model Name

XT1031

FCC ID

IHDT56PF3

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/14 to 11/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 18: Samsung Galaxy S 3

Handset Maker

Samsung

Handset Model Name

Galaxy S 3

FCC ID

A3LSCHR530

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/14 to 07/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 19: Samsung Galaxy S II

Handset Maker

Samsung

Handset Model Name

Galaxy S II

FCC ID

A3LSCHR760

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/14 to 08/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 20: Samsung Galaxy S4

Handset Maker

Samsung

Handset Model Name

Galaxy S4

FCC ID

A3LSCHi545

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/14 to 08/14

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 21: Samsung Galaxy S5

Handset Maker

Samsung

Handset Model Name

Galaxy S5

FCC ID

A3LSMG900V

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 06/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 22: Samsung R270**Handset Maker**

Samsung

Handset Model Name

R270

FCC ID

A3LSCHR270

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 03/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low-Tier

Remarks

Handset 23: Samsung R390

Handset Maker

Samsung

Handset Model Name

R390

FCC ID

A3LSCHR390

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid-Tier

Remarks

Handset 24: Samsung R640 Character

Handset Maker

Samsung

Handset Model Name

R640 Character

FCC ID

A3LSCHR640

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 02/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid-Tier

Remarks

Handset 25: SONIM XP3400 Armor**Handset Maker**

SONIM

Handset Model Name

XP3400 Armor

FCC ID

WYPC21F007AA

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 04/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid-Tier

Remarks

Handset 26: SONIM XP4400

Handset Maker

SONIM

Handset Model Name

XP4400

FCC ID

WYPC21F007AC

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid-Tier

Remarks

Certification

This Report has been certified by:

Kelli Shan Purchasing/Inventory Manager
12/23/2014 04:58 PM