



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2014 - June 30, 2015
Filing Deadline: July 15, 2015
Filing Date: 07/10/2015 04:56 PM

Filing Confirmation Number: 0006872027
FRN: 0018919456

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: Sony Mobile Communications, Inc.
Brand Names: Xperia
PO Box:
Street Address: 2207 Bridgepointe Parkway
City: San Mateo
State: CA
Zip Code: 94404

Contact Name: Grynge, Anders
Contact Phone: (650) 581-6971
Contact Fax:
Contact Email: Anders.Grynge@sonymobile.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for

hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://blogs.sonymobile.com/about-us/sustainability/accessibility/hearing-aid-compatibility/>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: In the past 12 months, Sony Mobile continues to maintain outreach efforts for consumers by bring the latest technology added to new handsets that supported accessibility features. The company is working very closely with Mobile Manufactures Forum (MMF) and other accessibility workings groups. Actively engaging in accessibility meeting with Google, US mobile operators and market retailers has allowed the company to research and developed additional accessibility features in their handsets. Global Accessibility Reporting Initiative (GARI) has updated their website allowing consumers around the world to search for their choice of devices based on dexterity, vision, hearing/speech or cognition.

<http://www.gari.info/findphones.cfm>

Consumer can also inquire Sony Mobile HAC compliance devices by accessing below:

<http://blogs.sonymobile.com/about-us/sustainability/accessibility/hearing-aid-compatibility/>

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 17

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 25

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	23	92%			2	8%	25

You have reported the following handset model summary information.

Total number of handsets offered: 25

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
CDMA	1	100%					1
WCDMA	23	92%			2	8%	25
LTE	15	94%			1	6%	16
Wi-Fi	23	92%			2	8%	25

Handset 1: Sony Mobile Communications Xperia E1 D2004

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia E1 D2004

PY7PM-0672

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 12/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 2: Sony Mobile Communications Xperia E3 D2202

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia E3 D2202

PY7PM-0381

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

900 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 10/14 to 12/14

Ratings

M-Rating: M3

M-Rating Certification Date: 08/01/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/01/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 3: Sony Mobile Communications Xperia E3 D2206

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia E3 D2206

PY7PM-0383

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1700 MHz WCDMA

1700 MHz LTE

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2100 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

2600 MHz LTE

Dates

This handset model was offered from: 10/14 to 12/14

Ratings

M-Rating: M3

M-Rating Certification Date: 08/06/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/06/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 4: Sony Mobile Communications Xperia L

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia L

PY7PM-0300

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1700 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/13 to 12/14

Ratings

M-Rating: M3

M-Rating Certification Date: 05/04/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 05/04/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 5: Sony Mobile Communications Xperia M

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia M

PY7PM-0480

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1700 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 08/13 to 09/14

Ratings

M-Rating: M3

M-Rating Certification Date: 06/14/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/14/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 6: Sony Mobile Communications Xperia M2

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia M2

PY7PM-0720

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

900 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 05/14 to 12/14

Ratings

M-Rating: M3

M-Rating Certification Date: 02/19/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/19/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 7: Sony Mobile Communications Xperia M2 Aqua D2406

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia M2 Aqua D2406

PY7PM-0771

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1700 MHz WCDMA

1700 MHz LTE

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2100 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

2600 MHz LTE

Dates

This handset model was offered from: 10/14 to 04/15

Ratings

M-Rating: M3

M-Rating Certification Date: 07/09/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/09/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 8: Sony Mobile Communications Xperia M2 D2302

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia M2 D2302

PY7PM-0721

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

900 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 12/14

Ratings

M-Rating: M3

M-Rating Certification Date: 02/19/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/19/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 9: Sony Mobile Communications Xperia M2 D2306

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia M2 D2306

PY7PM-0723

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1700 MHz WCDMA

1700 MHz LTE

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2100 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

2600 MHz LTE

Dates

This handset model was offered from: 07/14 to 12/14

Ratings

M-Rating: M4

M-Rating Certification Date: 03/31/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/31/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 10: Sony Mobile Communications Xperia T2Ultra D5306

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia T2Ultra D5306

PY7PM-0763

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

900 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2100 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

2600 MHz LTE

Dates

This handset model was offered from: 07/14 to 12/14

Ratings

M-Rating: M4

M-Rating Certification Date: 02/15/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/15/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 11: Sony Mobile Communications Xperia T2Ultra D5316

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia T2Ultra D5316

PY7PM-0764

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1700 MHz WCDMA

1700 MHz LTE

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2100 MHz WCDMA

2.4 GHz Wi-Fi

2.5 GHz Wi-Fi

Dates

This handset model was offered from: 09/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 03/19/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/19/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 12: Sony Mobile Communications Xperia T3 D5102

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia T3 D5102

PY7PM-0732

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 12/14

Ratings

M-Rating: M4

M-Rating Certification Date: 05/15/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/15/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 13: Sony Mobile Communications Xperia T3 D5106

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia T3 D5106

PY7PM-0731

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1700 MHz WCDMA

1700 MHz LTE

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

2600 MHz LTE

Dates

This handset model was offered from: 07/14 to 12/14

Ratings

M-Rating: M4

M-Rating Certification Date: 05/27/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/27/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 14: Sony Mobile Communications Xperia Z

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia Z

PY7PM-0520

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

900 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/13 to 12/14

Ratings

M-Rating: M3

M-Rating Certification Date: 11/21/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 11/21/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Class II Permissive Change was granted on 05/28/2013 for ANSI C63.19 2007 M4
Class II Permissive Change was granted on 11/21/2013 for ANSI C63.19 2011 M3/T3

Handset 15: Sony Mobile Communications Xperia Z1 C6902

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia Z1 C6902

PY7PM-0500

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
900 MHz WCDMA
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 09/13 to 12/14

Ratings

M-Rating: M3

M-Rating Certification Date: 08/08/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/08/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 16: Sony Mobile Communications Xperia Z1 C6906

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia Z1 C6906

PY7PM-0460

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

900 MHz GSM

900 MHz WCDMA

900 MHz LTE

1700 MHz WCDMA

1700 MHz LTE

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2100 MHz WCDMA

2100 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

2600 MHz LTE

Dates

This handset model was offered from: 10/13 to 12/14

Ratings

M-Rating: M3

M-Rating Certification Date: 08/02/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/02/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 17: Sony Mobile Communications Xperia Z1 Compact

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia Z1 Compact

PY7PM-0640

Air Interfaces/Frequency Bands

800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 03/14 to 12/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 18: Sony Mobile Communications Xperia Z1S

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia Z1S

FCC ID

PY7PM-0590

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
900 MHz GSM
900 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 01/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 11/13/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 11/13/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 19: Sony Mobile Communications Xperia Z2 D6502

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia Z2 D6502

PY7PM-0744

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

900 MHz WCDMA

1700 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 12/14

Ratings

M-Rating: M4

M-Rating Certification Date: 05/16/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/16/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 20: Sony Mobile Communications Xperia Z2 D6503

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia Z2 D6503

PY7PM-0740

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

900 MHz GSM

900 MHz WCDMA

900 MHz LTE

1700 MHz WCDMA

1700 MHz LTE

1800 MHz GSM

1800 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2100 MHz WCDMA

2100 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 12/14

Ratings

M-Rating: M4

M-Rating Certification Date: 03/28/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/28/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 21: Sony Mobile Communications Xperia Z3 Com. D5803

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia Z3 Com. D5803

PY7PM-0810

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 10/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 08/11/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 08/11/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 22: Sony Mobile Communications Xperia Z3 D6603

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia Z3 D6603

PY7PM-0800

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 10/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 07/15/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/15/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 23: Sony Mobile Communications Xperia Z3 D6616

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia Z3 D6616

PY7PM-0801

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

900 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2100 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 10/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 07/22/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/22/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 24: Sony Mobile Communications Xperia Z3 Dual D6633

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia Z3 Dual D6633

PY7PM-0808

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 10/14 to 12/14

Ratings

M-Rating: M4

M-Rating Certification Date: 08/26/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/26/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 25: Sony Mobile Communications Xperia Z3v D6708

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia Z3v D6708

PY7PM-0742

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
900 MHz GSM
900 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 10/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 08/08/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/08/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Certification

This Report has been certified by:

Wayne Moyung Senior Verification Engineer
07/10/2015 04:56 PM