



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2014 - June 30, 2015
Filing Deadline: July 15, 2015
Filing Date: 07/06/2015 04:33 PM

Filing Confirmation Number: 0006856254
FRN: 0018914416

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: Huawei Device USA, Inc f/k/a Futurewei Technologies, Inc.
Brand Names: Huawei
PO Box:
Street Address: 5700 Tennyson Parkway, Suite 600
City: Plano
State: TX
Zip Code: 75024

Contact Name: Xiaomeng Su
Contact Phone: (858) 882-0322
Contact Fax:
Contact Email: Xiaomeng.Su@huawei.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for

hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://consumer.huawei.com/us/support/accessibility/hac/index.htm>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Consumer outreach was via the website and staff training to answer inquiries. Huawei's website includes information on hearing aid compatibility and helps to explain the meaning of M and T-rating.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 3

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 11

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	6	86%			1	14%	7
CDMA	4	100%					4
WCDMA	6	86%			1	14%	7
LTE	4	80%			1	20%	5
Wi-Fi	6	86%			1	14%	7

Handset 1: Huawei ALE-L04

Handset Maker

Huawei

Handset Model Name

ALE-L04
P8 lite

FCC ID

QISALE-L04
QISALE-L04

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 06/15 to 06/15

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 2: Huawei H110C

Handset Maker

Huawei

Handset Model Name

H110C

FCC ID

QISH110C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/14 to 04/15

Ratings

M-Rating: M4

M-Rating Certification Date: 07/11/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/11/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 3: Huawei H868C

Handset Maker

Huawei

Handset Model Name

H868C

FCC ID

QISH868C

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/14 to 04/15

Ratings

M-Rating: M4

M-Rating Certification Date: 12/04/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/04/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 4: Huawei G620-A2

Handset Maker

Huawei

Handset Model Name

G620-A2
H891L

FCC ID

QISH891L
QISH891L

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 12/16/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/16/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 5: Huawei H892L

Handset Maker

Huawei

Handset Model Name

H892L

FCC ID

QISH892L

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 05/15

Ratings

M-Rating: M4

M-Rating Certification Date: 12/18/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 12/18/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 6: Huawei M881

Handset Maker

Huawei

Handset Model Name

M881

FCC ID

QISM881

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 08/14

Ratings

M-Rating: M4

M-Rating Certification Date: 04/29/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/29/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 7: Huawei Mate 2

Handset Maker

Huawei

Handset Model Name

Mate 2
MT2-L03

FCC ID

QISMT2-L03
QISMT2-L03

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 04/25/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/25/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 8: Huawei Prism 2

Handset Maker

Huawei

Handset Model Name

FCC ID

Prism 2	QISU8686
U8686	QISU8686
U8687	QISU8686

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/14 to 11/14

Ratings

M-Rating: M3

M-Rating Certification Date: 02/28/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 02/28/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 9: Huawei U3900

Handset Maker

Huawei

Handset Model Name

U3900

FCC ID

QISU3900

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 07/14 to 05/15

Ratings

M-Rating: M3

M-Rating Certification Date: 04/22/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/22/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 10: Huawei H871G

Handset Maker

Huawei

Handset Model Name

FCC ID

H871G

QISY336-A1

Y336-A1

QISY336-A1

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 08/14 to 03/15

Ratings

M-Rating: M3

M-Rating Certification Date: 05/13/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/13/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 11: Huawei Y536-A1

Handset Maker

Huawei

Handset Model Name

FCC ID

Y536-A1

QISY536A1

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 07/24/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/24/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Certification

This Report has been certified by:

Xiaomeng Su FCC Compliance Officer
07/06/2015 04:33 PM