



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2014 - June 30, 2015
Filing Deadline: July 15, 2015
Filing Date: 07/14/2015 07:45 PM

Filing Confirmation Number: 0006875808
FRN: 0018939488

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: LG Electronics MobileComm USA, Inc.
Brand Names: LG
PO Box:
Street Address: 1000 Sylvan Avenue
City: Englewood Cliffs
State: NJ
Zip Code: 07632

Contact Name: Jongchul Lee
Contact Phone: (201) 408-9181
Contact Fax: (858) 635-5378
Contact Email: jongchul.lee@lge.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for

hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.lg.com/us/hacphones>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: LG is doing several activities to provide better accessibilities including HAC.

For details, please see below.

1. LG is a participating member of the Telecommunications Subcommittee of the FCC Disability Advisory Committee in Washington, DC.
2. LG attended the 2015 CSUN conference in San Diego, CA.
3. LG attended and was a presenter at the 2015 M Enabling Summit in Washington, DC.
4. LG attended and was a presenter at the 2015 Hearing Loss Association of America conference in Saint Louis, MO.
5. LG had a consulting with NCAM to obtain VoC from disability persons and reflect it to our products in Washington, DC.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 27

Report Remarks

27 models based on FCC ID have been tested and certified during the reporting period.

You have reported the following handset model summary information.

Total number of handsets offered: 69

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	38	93%	2	5%	1	2%	41

You have reported the following handset model summary information.

Total number of handsets offered: 69

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
CDMA	36	88%	5	12%			41
WCDMA	38	93%	2	5%	1	2%	41
LTE	41	95%	2	5%			43
Wi-Fi	52	95%	3	5%			55
Bluetooth	62	90%	6	9%	1	1%	69

Handset 1: LG LG-A380

Handset Maker

LG

Handset Model Name

LG-A380

FCC ID

ZNFA380

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 10/17/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/17/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: LGA380

Handset 2: LG LG-AN160

Handset Maker

LG

Handset Model Name

FCC ID

LG-AN160

ZNFAN160

LG236C

ZNFAN160

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/14 to 03/15

Ratings

M-Rating: M4

M-Rating Certification Date: 03/19/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Marketing name

- LG-AN160: Fluid

- LG236C: LG236C

Handset 3: LG LG-AN272

Handset Maker

LG

Handset Model Name

FCC ID

LG-AN272

ZNFAN272

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/14 to 09/14

Ratings

M-Rating: M4

M-Rating Certification Date: 07/24/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/24/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name: CONVERSE

Handset 4: LG LG-B460

Handset Maker

LG

Handset Model Name

FCC ID

LG-B460

ZNFB460

LG441G

ZNFB460

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 06/20/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user

optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/20/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-B460: True
- LG441G: LG441G

Handset 5: LG LG-C410

Handset Maker

LG

Handset Model Name

LG-C410

FCC ID

ZNFC410

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 10/18/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/18/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Xpression 2

Handset 6: LG LG-D321

Handset Maker

LG

Handset Model Name

LG-D321

FCC ID

ZNFD321

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/14 to 05/15

Ratings

M-Rating: M3

M-Rating Certification Date: 04/11/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/11/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Optimus L70

Handset 7: LG LG-D415RD

Handset Maker

LG

Handset Model Name

LG-D415RD

FCC ID

ZNFD415

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 03/10/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/10/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Optimus L90

Handset 8: LG LG-D631

Handset Maker

LG

Handset Model Name

LG-D631

FCC ID

ZNFD631

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 08/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 07/15/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/15/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G Vista

Handset 9: LG LG-D725

Handset Maker

LG

Handset Model Name

LG-D725

FCC ID

ZNFD725

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

2.5 GHz LTE

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 08/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 08/05/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/05/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G Vigor

Handset 10: LG LG-D800

Handset Maker

LG

Handset Model Name

LG-D800

FCC ID

ZNFD800

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 03/15

Ratings

M-Rating: M3

M-Rating Certification Date: 07/31/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/31/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G2

Handset 11: LG LG-D801

Handset Maker

LG

Handset Model Name

FCC ID

LG-D801	ZNFD801
LG-D801BK	ZNFD801
LG-D801WH	ZNFD801

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 04/15

Ratings

M-Rating: M3

M-Rating Certification Date: 07/23/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/23/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G2

Handset 12: LG LG-D820

Handset Maker

LG

Handset Model Name

LG-D820

FCC ID

ZNFD820

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 09/14

Ratings

M-Rating: M3

M-Rating Certification Date: 09/05/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Marketing name: NEXUS 5

Handset 13: LG LG-D850

Handset Maker

LG

Handset Model Name

LG-D850

FCC ID

ZNFD850

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

2.5 GHz LTE

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 05/19/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/19/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G3

Handset 14: LG LG-D851TN

Handset Maker

LG

Handset Model Name

FCC ID

LG-D851TN

ZNFD851

LG-D851WH

ZNFD851

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

2.5 GHz LTE

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 05/19/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/19/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G3

Handset 15: LG LG-D950

Handset Maker

LG

Handset Model Name

LG-D950

FCC ID

ZNFD950

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

2.5 GHz LTE

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 02/15

Ratings

M-Rating: M3

M-Rating Certification Date: 11/22/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 11/22/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G Flex

Handset 16: LG LG-D959TS

Handset Maker

LG

Handset Model Name

LG-D959TS

FCC ID

ZNFD959

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 12/14

Ratings

M-Rating: M3

M-Rating Certification Date: 11/15/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 11/15/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G Flex

Handset 17: LG LG-H345KT

Handset Maker

LG

Handset Model Name

FCC ID

LG-H345KT

ZNFH345

LG-MS345

ZNFH345

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

Dates

This handset model was offered from: 05/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 04/15/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/15/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: CK

Handset 18: LG LG-H443

Handset Maker

LG

Handset Model Name

FCC ID

LG-H443

ZNFH443

LG-H445

ZNFH443

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 04/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 03/04/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/04/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Escape 2

Handset 19: LG LG-H631TN

Handset Maker

LG

Handset Model Name

FCC ID

LG-H631TN

ZNFH631

LG-MS631

ZNFH631

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 05/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 03/04/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/04/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G Stylus

Handset 20: LG LG-H810

Handset Maker

LG

Handset Model Name

LG-H810

FCC ID

ZNFH810

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

2.5 GHz LTE

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 05/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 04/30/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/30/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G4

Handset 21: LG LG-H811LB

Handset Maker

LG

Handset Model Name

FCC ID

LG-H811LB

ZNFH811

LG-H811VK

ZNFH811

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

2.5 GHz LTE

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 05/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 05/01/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/01/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G4

Handset 22: LG LG-H950

Handset Maker

LG

Handset Model Name

LG-H950

FCC ID

ZNFH950

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

2.5 GHz LTE

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 04/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 03/06/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/06/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G Flex 2

Handset 23: LG LG-LS740

Handset Maker

LG

Handset Model Name

FCC ID

LG-LS740

ZNFLS740

LG-LS740P

ZNFLS740

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

2.5 GHz LTE

Dates

This handset model was offered from: 07/14 to 04/15

Ratings

M-Rating: M4

M-Rating Certification Date: 01/28/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/28/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Volt

Handset 24: LG LG-LS980

Handset Maker

LG

Handset Model Name

LG-LS980

FCC ID

ZNFLS980

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

2.5 GHz LTE

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 11/14

Ratings

M-Rating: M4

M-Rating Certification Date: 07/23/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/23/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G2

Handset 25: LG LG-LS995

Handset Maker

LG

Handset Model Name

LG-LS995

FCC ID

ZNFLS995

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

2.5 GHz LTE

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 01/15

Ratings

M-Rating: M3

M-Rating Certification Date: 11/20/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 11/20/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G Flex

Handset 26: LG LG-AS323

Handset Maker

LG

Handset Model Name

FCC ID

LG-AS323	ZNFMS323
LG-MS323	ZNFMS323
LG-MS323WH	ZNFMS323

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/14 to 05/15

Ratings

M-Rating: M3

M-Rating Certification Date: 02/13/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/13/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: OPTIMUS L70

Handset 27: LG LG-MS395

Handset Maker

LG

Handset Model Name

LG-MS395

FCC ID

ZNFMS395

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

2.5 GHz LTE

Dates

This handset model was offered from: 10/14 to 05/15

Ratings

M-Rating: M3

M-Rating Certification Date: 08/21/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Marketing name: F60

Handset 28: LG LG-B450

Handset Maker

LG

Handset Model Name

FCC ID

LG-B450

ZNFB450

LG-MS450

ZNFB450

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Bluetooth

Dates

This handset model was offered from: 08/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 06/26/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/26/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: F4nR

Handset 29: LG LG-UN160

Handset Maker

LG

Handset Model Name

FCC ID

LG-UN160	ZNFUN160
LG-UN160PP	ZNFUN160
LG-UN161	ZNFUN160

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/14 to 11/14

Ratings

M-Rating: M4

M-Rating Certification Date: 03/19/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Marketing name: ENVOY 2

Handset 30: LG LG-US550

Handset Maker

LG

Handset Model Name

FCC ID

LG-US550	ZNFUS550
----------	----------

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 04/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 03/25/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/25/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: LOGOS

Handset 31: LG LG-AS780

Handset Maker

LG

Handset Model Name

FCC ID

LG-AS780

ZNFUS780

LG-US780

ZNFUS780

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

850 MHz LTE

1700 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 02/15

Ratings

M-Rating: M4

M-Rating Certification Date: 03/15/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/15/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name: OPTIMUS F7

Handset 32: LG LG-AS990

Handset Maker

LG

Handset Model Name

FCC ID

LG-AS990

ZNFUS990

LG-US990

ZNFUS990

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

850 MHz LTE

1700 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 10/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 08/18/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/18/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G3

Handset 33: LG LG-US991

Handset Maker

LG

Handset Model Name

LG-US991

FCC ID

ZNFUS991

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 05/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 05/06/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/06/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G4

Handset 34: LG LG-AS995

Handset Maker

LG

Handset Model Name

FCC ID

LG-AS995

ZNFUS995

LG-US995

ZNFUS995

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

850 MHz LTE

1700 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 03/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 01/08/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/08/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G Flex2

Handset 35: LG LG-AN170

Handset Maker

LG

Handset Model Name

FCC ID

LG-AN170	ZNFVN170
LG-UN170	ZNFVN170
LG-UN170PP	ZNFVN170
LG-UN171	ZNFVN170
LG-VN170	ZNFVN170
LG237C	ZNFVN170

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 04/18/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for

emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/18/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name

- LG237C: LG237C

- LG-AN170: ENVOY

- LG-UN170/LG-UN170PP/LG-UN171/LG-VN170: ENVOY 3

Handset 36: LG LG-VN251S

Handset Maker

LG

Handset Model Name

FCC ID

LG-VN251S

BEJVN251

LG-VN251SNPP

BEJVN251

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 06/03/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/03/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name: LG Cosmos 3

Handset 37: LG LG-UN280

Handset Maker

LG

Handset Model Name

FCC ID

LG-UN280	ZNFVN280
LG-UN280PP	ZNFVN280
LG-VN280	ZNFVN280

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 01/16/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/16/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name

- LG-VN280: Extravert 2
- LG-UN280/LG-UN280PP: FREEDOM II

Handset 38: LG LG-UN530

Handset Maker

LG

Handset Model Name

FCC ID

LG-UN530	ZNFVN360
LG-VN360	ZNFVN360

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 05/16/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/16/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-VN360: Exalt
- LG-UN530: WINE III

Handset 39: LG LG-VS450BPP

Handset Maker

LG

Handset Model Name

FCC ID

LG-VS450BPP	ZNFVS450PP
LG-VS450PP	ZNFVS450PP
LGL41C	ZNFVS450PP

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 02/21/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user

optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/21/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name

- LG-VS450PP/LG-VS450BPP: LG Optimus Exceed 2

- LGL41C: Ultimate2

Handset 40: LG LG-VS810PP

Handset Maker

LG

Handset Model Name

LG-VS810PP

FCC ID

ZNFVS810PP

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

Dates

This handset model was offered from: 11/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 09/22/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/22/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name

- LG Transpyre

Handset 41: LG LG-AS876

Handset Maker

LG

Handset Model Name

FCC ID

LG-AS876

ZNFVS876

LG-VS876

ZNFVS876

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 02/03/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/03/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name

- LG-VS876: F90

- LG-AS876: LG Lucid 3

Handset 42: LG LG-VS880

Handset Maker

LG

Handset Model Name

FCC ID

LG-VS880

ZNFVS880

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 05/21/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/21/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: LG G Vista

Handset 43: LG LG-VS890

Handset Maker

LG

Handset Model Name

LG-VS890

FCC ID

ZNFVS890

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 06/14/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/14/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Enact by LG

Handset 44: LG LG-VS980

Handset Maker

LG

Handset Model Name

FCC ID

LG-VS980

ZNFVS980

LG-VS980W

ZNFVS980

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 05/15

Ratings

M-Rating: M3

M-Rating Certification Date: 08/15/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 08/15/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G2

Handset 45: LG LG-AS985

Handset Maker

LG

Handset Model Name

FCC ID

LG-AS985	ZNFVS985
LG-VS985	ZNFVS985
LG-VS985B	ZNFVS985
LG-VS985R	ZNFVS985
LG-VS985W	ZNFVS985

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 06/03/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/03/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G3

Handset 46: LG LG-AS986

Handset Maker

LG

Handset Model Name

FCC ID

LG-AS986	ZNFVS986
LG-VS986	ZNFVS986
LG-VS986B	ZNFVS986
LG-VS986LD	ZNFVS986
LG-VS986W	ZNFVS986

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 05/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 05/06/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/06/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G4

Handset 47: LG LG-VW820

Handset Maker

LG

Handset Model Name

LG-VW820

FCC ID

ZNFVW820

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 05/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 04/04/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/04/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Lancet

Handset 48: LG LG221C

Handset Maker

LG

Handset Model Name

LG221C

FCC ID

BEJUN150

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/14 to 07/14

Ratings

M-Rating: M4

M-Rating Certification Date: 03/31/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Marketing name: LG221C

Handset 49: LG LG305C

Handset Maker

LG

Handset Model Name

FCC ID

LG305C	ZNFLG305C
LGLN280W	ZNFLG305C
LGLN280Z	ZNFLG305C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 01/21/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Marketing name
- LG305C: LG305C
- LGLN280W/LGLN280Z: Aspire

Handset 50: LG LG306G

Handset Maker

LG

Handset Model Name

FCC ID

LG306G	ZNF306G
--------	---------

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Marketing name: LG306G

Handset 51: LG LG440G

Handset Maker

LG

Handset Model Name

FCC ID

LG440G

ZNFLG440G

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/14 to 05/15

Ratings

M-Rating: M3

M-Rating Certification Date: 06/01/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/01/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name: LG440G

Handset 52: LG LG-VM720

Handset Maker

LG

Handset Model Name

FCC ID

LG-VM720	ZNFLS720
LG-VM720W	ZNFLS720
LG720	ZNFLS720

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/14 to 02/15

Ratings

M-Rating: M4

M-Rating Certification Date: 03/21/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/21/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Optimus F3

Handset 53: LG LGL15G

Handset Maker

LG

Handset Model Name

LGL15G

FCC ID

ZNFL15G

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 03/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 01/07/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/07/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Sunrise

Handset 54: LG LGL16C

Handset Maker

LG

Handset Model Name

LGL16C

FCC ID

ZNFL16C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 03/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 01/07/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/07/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Lucky

Handset 55: LG LGL21G

Handset Maker

LG

Handset Model Name

LGL21G

FCC ID

ZNFL21G

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 04/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 01/30/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/30/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Destiny

Handset 56: LG LGL22C

Handset Maker

LG

Handset Model Name

LGL22C

FCC ID

ZNFL22C

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

Dates

This handset model was offered from: 03/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 01/22/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/22/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Power

Handset 57: LG LGL31L

Handset Maker

LG

Handset Model Name

LGL31L

FCC ID

ZNFL31L

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 08/14 to 03/15

Ratings

M-Rating: M4

M-Rating Certification Date: 02/15/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/15/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Access

Handset 58: LG LG-H343

Handset Maker

LG

Handset Model Name

LG-H343
LGL33L

FCC ID

ZNFL33L
ZNFL33L

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE

1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 04/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 03/22/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/22/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LGL33L: Sunset
- LG-H343: Risio

Handset 59: LG LG-VS415BPP

Handset Maker

LG

Handset Model Name

FCC ID

LG-VS415BPP	ZNFL34C
LG-VS415PP	ZNFL34C
LGL34C	ZNFL34C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 12/18/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user

optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 12/18/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LGL34C: Optimus Fuel
- LG-VS415PP/LG-VS415BPP: LG Optimus Zone 2

Handset 60: LG LGL39C

Handset Maker

LG

Handset Model Name

LGL39C

FCC ID

ZNFL39C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/14 to 01/15

Ratings

M-Rating: M4

M-Rating Certification Date: 07/31/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/31/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Optimus Dynamic II

Handset 61: LG LGLS620

Handset Maker

LG

Handset Model Name

FCC ID

LGLS620

ZNFLS620

LGLS620Y

ZNFLS620

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/14 to 02/15

Ratings

M-Rating: M4

M-Rating Certification Date: 04/15/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/15/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Realm

Handset 62: LG LGLS660

Handset Maker

LG

Handset Model Name

FCC ID

LGLS660

ZNFLS660

LGLS660P

ZNFLS660

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

2.5 GHz LTE

Dates

This handset model was offered from: 09/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 07/28/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/28/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Tribute

Handset 63: LG LGLS665

Handset Maker

LG

Handset Model Name

LGLS665

FCC ID

ZNFLS665

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

2.5 GHz LTE

Dates

This handset model was offered from: 05/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 05/07/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/07/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Tribute2

Handset 64: LG LGLS751

Handset Maker

LG

Handset Model Name

LGLS751

FCC ID

ZNFLS751

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE

Dates

This handset model was offered from: 05/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 04/26/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/26/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: Volt 2

Handset 65: LG LGLS770

Handset Maker

LG

Handset Model Name

LGLS770

FCC ID

ZNFLS770

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 04/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 03/10/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/10/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G Stylo

Handset 66: LG LGLS885

Handset Maker

LG

Handset Model Name

LGLS885

FCC ID

ZNFLS885

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

2.5 GHz LTE

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 08/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 06/09/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/09/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G3 Vigor

Handset 67: LG LGLS990

Handset Maker

LG

Handset Model Name

LGLS990

FCC ID

ZNFLS990

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

2.5 GHz LTE

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 06/05/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/05/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G3

Handset 68: LG LG-AS991

Handset Maker

LG

Handset Model Name

FCC ID

LG-AS991

ZNFLS991

LGLS991

ZNFLS991

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.4 GHz Bluetooth

2.5 GHz LTE

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 05/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 05/07/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/07/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G4

Handset 69: LG LGLS996

Handset Maker

LG

Handset Model Name

LGLS996

FCC ID

ZNFLS996

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 02/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 11/26/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 11/26/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: G Flex2

Certification

This Report has been certified by:

Jongchul Lee Director
07/14/2015 07:45 PM