



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2015 - December 31, 2015

Filing Confirmation Number: 0007074572

Filing Deadline: January 15, 2016

FRN: 0020434767

Filing Date: 12/24/2015 11:12 AM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Cellular South Licenses, LLC

Brand Names: Cellular South
C Spire Wireless

PO Box:

Street Address: 1018 Highland Colony Parkway, Suite 300

City: Ridgeland

State: MS

Zip Code: 39157

Contact Name: Shane Tuttle

Contact Phone: (601) 974-7509

Contact Fax:

Contact Email: stuttle@cellularsouth.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: Lukas, Nace, Gutierrez & Sachs, LLP
PO Box:
Street Address: 8300 Greensboro Drive, Suite 1200
City: McLean
State: VA
Zip Code: 22102

Contact Name: Pamela L. Gist, Esq.
Contact Phone: (703) 584-8665
Contact Fax: (703) 584-8696
Contact Email: pgist@fcclaw.com

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: <https://www.cspire.com/help/hac/hac.jsp>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Compliant handset models are publicly identified for

consumers and audiologists. Compliant models are listed on the company website, and details are on the website answer center, along with frequently asked questions. Retail salespeople are trained to assist with complaint digital wireless phones. Compliant handsets are available through retail locations, website and Telesales. Compliant handsets are available for testing from live phone displays in retail locations. Written materials and promotional literature are provided at the point of sale and on the website, addressing the needs of individuals with hearing disabilities. Such consumers are given a thirty day trial period within which to try out digital wireless phones to determine whether they will work properly with their hearing aids.

Methodology for Functionality Levels

Advanced. MSRP at least \$300. Phones classified as advanced generally offer enhanced features such as a higher quality camera, multiple Bluetooth profiles, Internet access, high speed processing, a touch screen interface, email or a Windows Mobile operating system.

Average. MSRP \$150 to \$299.99. Phones classified as average generally offer lower quality cameras compared to advanced models, handsfree and headset Bluetooth profiles, expandable memory, larger phone book capacity, an enhanced color display or increased talk time over basic models. However these phones offer fewer features than advanced models.

Basic. MSRP \$149.99 or less. Phones classified as basic offer the necessary wireless features and may have a lower quality camera and limited Bluetooth or Internet capabilities. Typically, these phones offer smaller phone book capacity and average talk time. Most of these phones are generally larger in size compared to more advanced models and lack features such as MP3 players, expandable memory and download capabilities.

Report Remarks

C Spire Wireless does not operate network facilities utilizing GSM, WCDMA, WiMax or AWS air interfaces.

You have reported the following handset model summary information.

Total number of handsets offered: 29

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	8	89%	1	11%			9
CDMA	27	93%	2	7%			29
LTE	20	95%	1	5%			21
Wi-Fi	25	96%	1	4%			26

Handset 1: Apple iPhone 5c

Handset Maker

Apple

Handset Model Name

iPhone 5c

FCC ID

BCG-E2644A

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz CDMA

1900 MHz GSM

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks**Handset 2: Apple iPhone 5s****Handset Maker**

Apple

Handset Model Name

iPhone 5s

FCC ID

BCG-E2642A

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz CDMA

1900 MHz GSM

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 3: Apple iPhone 6

Handset Maker

Apple

Handset Model Name

iPhone 6

FCC ID

BCG-E2816A

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz CDMA
1900 MHz GSM
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 4: Apple iPhone 6+

Handset Maker

Apple

Handset Model Name

iPhone 6+

FCC ID

BCG-E2817A

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz CDMA

1900 MHz GSM

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 5: Apple IPHONE 6S

Handset Maker

Apple

Handset Model Name

IPHONE 6S

FCC ID

BCG-E2946A

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz CDMA

850 MHz LTE

900 MHz GSM

900 MHz LTE

1700 MHz CDMA

1700 MHz LTE

1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz LTE
2100 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE

Dates

This handset model was offered from: 09/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 6: Apple IPHONE 6S PLUS

Handset Maker

Apple

Handset Model Name

IPHONE 6S PLUS

FCC ID

BCG-E2944A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz LTE
900 MHz GSM
900 MHz LTE
1700 MHz CDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz LTE
2100 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE

Dates

This handset model was offered from: 09/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 7: HTC 6885 7 Pro**Handset Maker**

HTC

Handset Model Name

6885 7 Pro

FCC ID

NM8PC93100

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Average

Remarks

Handset 8: HTC ONE M9

Handset Maker

HTC

Handset Model Name

ONE M9

FCC ID

NM80PJA200

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 06/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 9: HTC PN072

Handset Maker

HTC

Handset Model Name

PN072

FCC ID

NM8PN07310

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 10: Kyocera E4510**Handset Maker**

Kyocera

Handset Model Name

E4510

FCC ID

V65E4520

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 11: LG AN160

Handset Maker

LG

Handset Model Name

AN160

FCC ID

ZNFAN160

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 02/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 12: LG AN170

Handset Maker

LG

Handset Model Name

AN170

FCC ID

ZNFVN170

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 13: LG AS780

Handset Maker

LG

Handset Model Name

AS780

FCC ID

ZNFUS780

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz CDMA
1900 MHz GSM
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 14: LG AS991

Handset Maker

LG

Handset Model Name

AS991

FCC ID

ZNFLS991

Air Interfaces/Frequency Bands

700 MHz CDMA
700 MHz LTE
800 MHz CDMA
850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 15: LG AS995

Handset Maker

LG

Handset Model Name

AS995

FCC ID

ZNFUS995

Air Interfaces/Frequency Bands

700 MHz CDMA
700 MHz LTE
800 MHz CDMA
850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 16: LG G3**Handset Maker**

LG

Handset Model Name**FCC ID**

G3

ZNFUS990

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 10/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 17: Motorola G

Handset Maker

Motorola

Handset Model Name

G

FCC ID

IHDT56PF3

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Average

Remarks

Handset 18: Motorola Moto E (2nd) XT1526

Handset Maker

Motorola

Handset Model Name

Moto E (2nd) XT1526

FCC ID

IHDT56QC7

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 06/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Average

Remarks

Handset 19: Motorola XT1049

Handset Maker

Motorola

Handset Model Name

XT1049

FCC ID

IHDT56PB3

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz CDMA
1900 MHz GSM
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 20: Motorola XT1093

Handset Maker

Motorola

Handset Model Name

XT1093

FCC ID

IHDT56QA3

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 21: Motorola XT556

Handset Maker

Motorola

Handset Model Name

XT556

FCC ID

IHDT56NC2

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Average

Remarks

Handset 22: Samsung G900

Handset Maker

Samsung

Handset Model Name

G900

FCC ID

A3LSMG900R7

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 23: Samsung G920

Handset Maker

Samsung

Handset Model Name

G920

FCC ID

A3LSMN920R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 10/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 24: Samsung Galaxy S4

Handset Maker

Samsung

Handset Model Name

Galaxy S4

FCC ID

A3LSCHI545

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz CDMA
1900 MHz GSM
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 05/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 25: Samsung GP530

Handset Maker

Samsung

Handset Model Name

GP530

FCC ID

A3LSMG530P

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE

Dates

This handset model was offered from: 10/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Average

Remarks

Handset 26: Samsung GS6

Handset Maker

Samsung

Handset Model Name

FCC ID

GS6

A3LSMG920R7

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 05/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 27: Samsung GS6E

Handset Maker

Samsung

Handset Model Name

GS6E

FCC ID

A3LSMG925R7

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 05/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 28: SONIM XP3405 Shield

Handset Maker

SONIM

Handset Model Name

XP3405 Shield

FCC ID

WYPC21F007AA

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 29: SONIM XP4400

Handset Maker

SONIM

Handset Model Name

XP4400

FCC ID

WYPC21F007AC

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Certification

This Report has been certified by:

Shane Tuttle Director, Device Supply Chain Management
12/24/2015 11:12 AM