



# Federal Communications Commission

Approved by OMB  
3060-0999  
See instructions for  
public burden estimate.

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2015 - December 31, 2015

Filing Confirmation Number: 0007096612

Filing Deadline: January 15, 2016

FRN: 0022355762

Filing Date: 01/14/2016 01:16 PM

### General Report Information

#### Type of Company

Service Provider

#### De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

#### Company Information

Company Name: Inland Cellular LLC  
Brand Names: Inland Cellular  
PO Box: 688  
Street Address: 109 S. First Street  
City: Roslyn  
State: WA  
Zip Code: 98941

Contact Name: Nathan Weis  
Contact Phone: (509) 649-2500  
Contact Fax:  
Contact Email: nathan@inlandnet.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: Timothy J. Cooney  
PO Box:  
Street Address: 1800 M Street, N.W., Suite 800N  
City: Washington  
State: DC

Contact Name: Timothy J. Cooney  
Contact Phone: (202) 783-4141  
Contact Fax:  
Contact Email: tcooney@wbklaw.com

## Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

## Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: <http://inlandcellular.com/faq/hearing-aid-compatibility-hac/>

Explain:

## Consumer Outreach

Describe consumer outreach efforts in the past 12 months: In 2015, Inland Cellular offered only HAC-compliant handsets. Inland Cellular continued to train their retail employees to identify and provide information regarding HAC compliant handsets and potentially useful accessories to Inland Cellular's current and prospective subscribers. Inland Cellular believes that one of the most efficient ways to disseminate information to its customers is at the point of sale. Inland Cellular will continue to educate its retail staff on HAC issues and the developing technology offered through the equipment manufacturers, so that their retail staff will remain a valuable information resource for Inland's current and prospective subscribers.

## Methodology for Functionality Levels

Inland Cellular's hearing aid compatibility offerings encompass the entire range of handset functionalities. For illustrative purposes, Inland Cellular has designated its various categories as "High", "Mid" and Basic." While some individual models may differ slightly, the descriptions below provide a general illustration of the types of features and characteristics typical of the models within each category.

High: Smart phones, data capable, e-mail capable

Mid: Media capable, text messaging, touch screen

Basic: Basic voice and text messaging capabilities

### Report Remarks

Inland Cellular LLC is the successor licensee to the General Partner of Eastern Sub-RSA Partnership and the Washington RSA No. 8 Limited Partnership.

You have reported the following handset model summary information.

Total number of handsets offered: 33

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
CDMA	31	94%	2	6%			33
LTE	14	100%					14
Wi-Fi	24	96%	1	4%			25

### Handset 1: Alcatel Alcatel 988

#### Handset Maker

Alcatel

#### Handset Model Name

Alcatel 988

#### FCC ID

RAD284

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

#### Dates

This handset model was offered from: 08/13 to 08/15

#### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

High

**Remarks**

---

**Handset 2: Apple 5c**

**Handset Maker**

Apple

**Handset Model Name**

5c

**FCC ID**

BCG-E2644A

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
850 MHz LTE  
1900 MHz CDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 11/14 to 12/15

**Ratings**

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

High

**Remarks**

---

## Handset 3: Apple 5s

### Handset Maker

Apple

### Handset Model Name

5s

### FCC ID

BCG-E2642A

### Air Interfaces/Frequency Bands

850 MHz CDMA  
850 MHz LTE  
1900 MHz CDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 11/14 to 12/15

### Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

High

### Remarks

## Handset 4: Apple 6

### Handset Maker

Apple

### Handset Model Name

6

### FCC ID

BCG-E2816A

### Air Interfaces/Frequency Bands

850 MHz CDMA  
850 MHz LTE  
1900 MHz CDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 11/14 to 12/15

### Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

High

**Remarks**

---

**Handset 5: Apple 6 Plus**

**Handset Maker**

Apple

**Handset Model Name**

6 Plus

**FCC ID**

BCG-E2817A

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
850 MHz LTE  
1900 MHz CDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 11/14 to 12/15

**Ratings**

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

High

**Remarks**

---

## Handset 6: Apple Apple 6s

### Handset Maker

Apple

### Handset Model Name

Apple 6s

### FCC ID

BCG-E2946A

### Air Interfaces/Frequency Bands

850 MHz CDMA  
850 MHz LTE  
1900 MHz CDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 09/15 to 12/15

### Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

High

### Remarks

## Handset 7: Apple Apple 6s Plus

### Handset Maker

Apple

### Handset Model Name

Apple 6s Plus

### FCC ID

BCG-E2944A

### Air Interfaces/Frequency Bands

850 MHz CDMA  
850 MHz LTE  
1900 MHz CDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 10/15 to 12/15

### Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

High

**Remarks**

---

**Handset 8: Coolpad Coolpad 5560**

**Handset Maker**

Coolpad

**Handset Model Name**

Coolpad 5560

**FCC ID**

R38YL5560S

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 07/15 to 12/15

**Ratings**

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

High

**Remarks**

---

**Handset 9: HTC 0P4E100 Desire 601**

**Handset Maker**

HTC

**Handset Model Name**

**FCC ID**

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 12/13 to 07/15

**Ratings**

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

High

**Remarks**

---

**Handset 10: HTC M7****Handset Maker**

HTC

**Handset Model Name**

M7

**FCC ID**

NM8PN07200

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 06/14 to 10/15

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

High

**Remarks**

---

**Handset 11: Kyocera E4510**

**Handset Maker**

Kyocera

**Handset Model Name**

E4510

**FCC ID**

V65E4520

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 04/15 to 12/15

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Mid

**Remarks**

---

**Handset 12: LG 160**

**Handset Maker**

LG

**Handset Model Name**

160

**FCC ID**

ZNFAN160

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 06/13 to 08/15

**Ratings**

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Mid

**Remarks**

---

**Handset 13: LG 272****Handset Maker**

LG

**Handset Model Name**

272

**FCC ID**

ZNFAN272

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 11/12 to 12/15

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Mid

**Remarks**

---

**Handset 14: LG 730**

**Handset Maker**

LG

**Handset Model Name**

730

**FCC ID**

ZNFAS730

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 11/12 to 05/15

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

High

**Remarks**

---

**Handset 15: LG AN170**

**Handset Maker**

LG

**Handset Model Name**

AN170

**FCC ID**

ZNFVN170

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 11/14 to 12/15

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Mid

**Remarks**

---

**Handset 16: LG LG 990****Handset Maker**

LG

**Handset Model Name**

LG 990

**FCC ID**

ZNFUS990

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 02/15 to 05/15

**Ratings**

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

High

**Remarks**

---

**Handset 17: LG LG 991**

**Handset Maker**

LG

**Handset Model Name**

LG 991

**FCC ID**

ZNFLS991

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
850 MHz LTE  
1900 MHz CDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 05/15 to 12/15

**Ratings**

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

High

**Remarks**

---

## Handset 18: LG LG 995

### Handset Maker

LG

### Handset Model Name

LG 995

### FCC ID

ZNFUS995

### Air Interfaces/Frequency Bands

850 MHz CDMA  
850 MHz LTE  
1900 MHz CDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 06/15 to 12/15

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

High

### Remarks

## Handset 19: LG LG270 Exchange

### Handset Maker

LG

### Handset Model Name

LG270 Exchange

### FCC ID

BEJVN270

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 09/11 to 12/15

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Mid

**Remarks**

---

**Handset 20: Motorola MOTOROLA XT1050**

**Handset Maker**

Motorola

**Handset Model Name      FCC ID**

MOTOROLA XT1050      IHDT56PB1

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 12/13 to 12/15

**Ratings**

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

High

**Remarks**

---

**Handset 21: Motorola XT1031**

**Handset Maker**

Motorola

**Handset Model Name      FCC ID**

XT1031      IHDT56PF3

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 05/14 to 12/15

### Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

High

### Remarks

---

## Handset 22: Motorola XT1093

### Handset Maker

Motorola

### Handset Model Name

XT1093

### FCC ID

IHDT56QA3

### Air Interfaces/Frequency Bands

850 MHz CDMA  
850 MHz LTE  
1900 MHz CDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 01/15 to 12/15

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

High

**Remarks**

---

**Handset 23: Motorola XT556**

**Handset Maker**

Motorola

**Handset Model Name**

XT556

**FCC ID**

IHDT56NC2

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 08/11 to 03/15

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

High

**Remarks**

---

**Handset 24: Research In Motion BlackBerry 9350**

**Handset Maker**

Research In Motion

**Handset Model Name**

BlackBerry 9350

**FCC ID**

L6ARDZ20CW

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 11/11 to 12/15

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

High

### Remarks

---

## Handset 25: Samsung G900

### Handset Maker

Samsung

### Handset Model Name

G900

### FCC ID

A3LSMG900R7

### Air Interfaces/Frequency Bands

850 MHz CDMA  
850 MHz LTE  
1900 MHz CDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 05/14 to 12/15

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

High

**Remarks**

---

**Handset 26: Samsung G920**

**Handset Maker**

Samsung

**Handset Model Name**

G920

**FCC ID**

A3LSMG920R7

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
850 MHz LTE  
1900 MHz CDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 06/15 to 12/15

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

High

**Remarks**

---

## Handset 27: Samsung i535/R530

### Handset Maker

Samsung

### Handset Model Name

i535/R530

### FCC ID

A3LSCHI535

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA  
2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 03/13 to 07/15

### Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

High

### Remarks

---

## Handset 28: Samsung R270

### Handset Maker

Samsung

### Handset Model Name

R270

### FCC ID

A3LSCHR270

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 02/13 to 08/15

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Basic

**Remarks**

---

**Handset 29: Samsung R480**

**Handset Maker**

Samsung

**Handset Model Name**

R480

**FCC ID**

A3LSCHR480C

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 12/13 to 12/15

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Mid

**Remarks**

---

**Handset 30: Samsung Samsung G530**

**Handset Maker**

Samsung

**Handset Model Name**

Samsung G530

**FCC ID**

A3LSMG530P

### Air Interfaces/Frequency Bands

850 MHz CDMA  
850 MHz LTE  
1900 MHz CDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 10/15 to 12/15

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

High

### Remarks

---

## Handset 31: Samsung Samsung G925

### Handset Maker

Samsung

### Handset Model Name

Samsung G925

### FCC ID

A3LSMG925R7

### Air Interfaces/Frequency Bands

850 MHz CDMA  
850 MHz LTE  
1900 MHz CDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

### Dates

This handset model was offered from: 06/15 to 12/15

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

High

**Remarks**

---

**Handset 32: Samsung Samsung N920**

**Handset Maker**

Samsung

**Handset Model Name**

Samsung N920

**FCC ID**

A3LSMN920R4

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
850 MHz LTE  
1900 MHz CDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

**Dates**

This handset model was offered from: 11/15 to 12/15

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

High

**Remarks**

---

## Handset 33: SONIM XP4400

### Handset Maker

SONIM

### Handset Model Name

XP4400

### FCC ID

WYPC21F007AC

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 02/14 to 12/15

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Basic

### Remarks

---

## Certification

### This Report has been certified by:

Nathan Weis Director  
01/14/2016 01:16 PM