



# Federal Communications Commission

Approved by OMB  
3060-0999  
See instructions for  
public burden estimate.

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2015 - December 31, 2015

Filing Confirmation Number: 0007092188

Filing Deadline: January 15, 2016

FRN: 0008849838

Filing Date: 01/11/2016 04:15 PM

### General Report Information

#### Type of Company

Service Provider

#### De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

#### Company Information

Company Name: Pembroke Telephone Company Inc  
 Brand Names: PAC Mobile  
 PO Box: 10  
 Street Address: 185 East Bacon St  
 City: Pembroke  
 State: GA  
 Zip Code: 31321

Contact Name: Jean McCormick  
 Contact Phone: (912) 653-4389  
 Contact Fax: (912) 653-2929  
 Contact Email: jean@pemtelo.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

#### Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice

communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

N/A

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: [www.pemtelco.com](http://www.pemtelco.com)

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Information is available on website. Customers are advised as needed of handset at time of purchase.

### Methodology for Functionality Levels

Smart phone functionality was basis for features. Cost of phone. Basic phone with larger buttons was basis for ease of use.

### Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 18

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
CDMA	16	89%	2	11%			18

## Handset 1: Apple iPhone 5

### Handset Maker

Apple

### Handset Model Name

iPhone 5

### FCC ID

BCG-E2599A

### Air Interfaces/Frequency Bands

800 MHz CDMA  
850 MHz CDMA  
1900 MHz CDMA  
2100 MHz CDMA

### Dates

This handset model was offered from: 03/15 to 12/15

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

features

### Remarks

## Handset 2: Apple iPhone 5s

### Handset Maker

Apple

### Handset Model Name

iPhone 5s

### FCC ID

BCG-E2642A

### Air Interfaces/Frequency Bands

800 MHz CDMA  
850 MHz CDMA  
1700 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 04/15 to 12/15

### Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

features

**Remarks**

---

**Handset 3: Apple iPhone 6**

**Handset Maker**

Apple

**Handset Model Name**

iPhone 6

**FCC ID**

BCG-E2816A

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1700 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 06/15 to 12/15

**Ratings**

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

features

**Remarks**

---

**Handset 4: Apple iPhone 6 Plus**

**Handset Maker**

Apple

**Handset Model Name**

iPhone 6 Plus

**FCC ID**

BCG-E2817A

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1700 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 07/15 to 12/15

**Ratings**

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

features

**Remarks**

**Handset 5: HTC Rhyme**

**Handset Maker**

HTC

**Handset Model Name**

Rhyme

**FCC ID**

NM8PI46110

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/15 to 06/15

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

features

#### Remarks

---

### Handset 6: Huawei M881 Ascend Y300

#### Handset Maker

Huawei

#### Handset Model Name

M881 Ascend Y300

#### FCC ID

QISM881

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 01/15 to 12/15

#### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

ease of use

#### Remarks

---

### Handset 7: LG Enact/VS890

#### Handset Maker

LG

#### Handset Model Name

Enact/VS890

#### FCC ID

ZNFVS890

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 04/15 to 12/15

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

ease of use

**Remarks**

---

**Handset 8: LG G Vista/VS880****Handset Maker**

LG

**Handset Model Name****FCC ID**

G Vista/VS880

ZNFVS880

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 05/15 to 12/15

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

features, price

**Remarks**

---

**Handset 9: LG LUCID**

**Handset Maker**

LG

**Handset Model Name**

LUCID

**FCC ID**

ZNFVS840

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/15 to 04/15

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

features

**Remarks**

---

**Handset 10: LG Lucid 2**

**Handset Maker**

LG

**Handset Model Name**

Lucid 2

**FCC ID**

ZNFVS870

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 04/15 to 12/15

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

features

### Remarks

---

## Handset 11: Motorola Moto G

### Handset Maker

Motorola

### Handset Model Name

Moto G

### FCC ID

IHDT56PF3

### Air Interfaces/Frequency Bands

800 MHz CDMA  
850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/15 to 08/15

### Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

features

#### Remarks

---

### Handset 12: Samsung Convoy3

#### Handset Maker

Samsung

#### Handset Model Name

Convoy3

#### FCC ID

A3LSCHU680

#### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

#### Dates

This handset model was offered from: 01/15 to 12/15

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

ease of use

#### Remarks

---

### Handset 13: Samsung Galaxy Note 4

#### Handset Maker

Samsung

#### Handset Model Name

Galaxy Note 4

#### FCC ID

A3LSMN920V, A3LSMN920R4, A3LSMN920P

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 04/15 to 12/15

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

features

### Remarks

---

## Handset 14: Samsung GALAXY NOTE 5

### Handset Maker

Samsung

### Handset Model Name

### FCC ID

GALAXY NOTE 5

A3LSMN920V, A3LSMN920R4, A3LSMN920P

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 10/15 to 12/15

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

features

#### Remarks

---

### Handset 15: Samsung Galaxy S 4 Active

#### Handset Maker

Samsung

#### Handset Model Name

Galaxy S 4 Active

#### FCC ID

A3LSCHI545, A3LSPHL720, A3LSPHL720T

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 04/15 to 12/15

#### Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

features

#### Remarks

---

### Handset 16: Samsung Galaxy S 5 Sport

#### Handset Maker

Samsung

#### Handset Model Name

Galaxy S 5 Sport

#### FCC ID

A3LSMG900V, A3LSMG900P, A3LSMG900R7

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 04/15 to 12/15

### Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

features

### Remarks

---

## Handset 17: Samsung Gusto 2

### Handset Maker

Samsung

### Handset Model Name

Gusto 2

### FCC ID

A3LSCHU365

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/15 to 12/15

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

features

### Remarks

---

## Handset 18: Samsung Intensity II

### Handset Maker

Samsung

### Handset Model Name

Intensity II

### FCC ID

A3LSCHU460

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 02/15 to 07/15

### Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

features, ease of use

### Remarks

---

## Certification

### This Report has been certified by:

Jean McCormick President  
01/11/2016 04:15 PM