



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2015 - December 31, 2015

Filing Confirmation Number: 0007097320

Filing Deadline: January 15, 2016

FRN: 0015370570

Filing Date: 01/14/2016 06:18 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: eKit.com, Inc.

Brand Names: ekit
Telestial

PO Box:

Street Address: Level 5, 27 Drydock Avenue

City: Boston

State: MA

Zip Code: 02210

Contact Name: Steven Searle

Contact Phone: (617) 737-3040

Contact Fax: (617) 235-3041

Contact Email: ssearle@ekit-inc.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: Cheng-yi Liu
PO Box:
Street Address: 1300 N. 17th Street, Suite 1100
City: Arlington
State: VA
Zip Code: 22209

Contact Name: Cheng-yi Liu
Contact Phone: (703) 812-0478
Contact Fax: (703) 812-0486
Contact Email: liu@fhhlaw.com

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

N/A

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: www.ekit.com; www.telestial.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: HAC information was made available via the company's

website as well as training of internal staff to provide accurate information.

Methodology for Functionality Levels

Basic describes handsets with entry level features and design. Middle describes handsets with more advanced design and functionality. Advanced describes handsets with the most advanced functionality, such as smart phones.

Report Remarks

You have reported the following handset model summary information.
Total number of handsets offered: 33

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	24	73%	3	9%	6	18%	33

Handset 1: Alcatel One Touch Idol 3

Handset Maker

Alcatel

Handset Model Name

One Touch Idol 3

FCC ID

2ACCJN001, 2ACCJN002, 2ACCJN005

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 10/15 to 12/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 2: Alcatel OT-880

Handset Maker

Alcatel

Handset Model Name

OT-880

FCC ID

RAD126

Air Interfaces/Frequency Bands

900 MHz GSM

1800 MHz GSM

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Handset 3: Apple iPhone 5c

Handset Maker

Apple

Handset Model Name

iPhone 5c

FCC ID

BCG-E2644A

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 11/13 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 4: Apple iPhone 5s

Handset Maker

Apple

Handset Model Name

iPhone 5s

FCC ID

BCG-E2642A

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 11/13 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 5: Apple iPhone 6

Handset Maker

Apple

Handset Model Name

iPhone 6

FCC ID

BCG-E2816A

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 09/14 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 6: Apple iPhone 6+

Handset Maker

Apple

Handset Model Name

iPhone 6+

FCC ID

BCG-E2817A

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 09/14 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 7: Apple IPHONE 6S

Handset Maker

Apple

Handset Model Name

IPHONE 6S

FCC ID

BCG-E2946A

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 10/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 8: Domi Nav Ltd JT Smart 3

Handset Maker

Domi Nav Ltd

Handset Model Name

JT Smart 3

FCC ID

2ACU5-JTSMART3

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 9: HTC 8X

Handset Maker

HTC

Handset Model Name

8X

FCC ID

NM8PM23200, NM8PM23300, NM8PM23220

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 11/13 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 10: HTC One M7

Handset Maker

HTC

Handset Model Name

One M7

FCC ID

NM8PN07130, NM8PN07120, NM8PN07100, NM8PN07110

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 09/14 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 11: LG G2

Handset Maker

LG

Handset Model Name

FCC ID

G2

ZNFD800, ZNFD801, ZNFD802

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 07/14 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 12: LG G3

Handset Maker

LG

Handset Model Name

FCC ID

G3

ZNFD850, ZNFD851, ZNFD855

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 11/14 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 13: LG Nexus 5

Handset Maker

LG

Handset Model Name

Nexus 5

FCC ID

ZNFD820, ZNFD821

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/14 to 12/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 14: Motorola Atrix 2

Handset Maker

Motorola

Handset Model Name

Atrix 2

FCC ID

IHDT56MV1, IHDT56MV2

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 12/13 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 15: Motorola Moto G 2nd Edition

Handset Maker

Motorola

Handset Model Name

Moto G 2nd Edition

FCC ID

IHDT56QB1, IHDT56QB2

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 09/14 to 09/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 16: Motorola Moto G 3rd Edition

Handset Maker

Motorola

Handset Model Name

Moto G 3rd Edition

FCC ID

IHDT56QG1, IHDT56QG2

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 10/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 17: Motorola Moto X

Handset Maker

Motorola

Handset Model Name

Moto X

FCC ID

IHDT56PA1, IHDT56PA2

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/14 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 18: Motorola Nexus 6

Handset Maker

Motorola

Handset Model Name

Nexus 6

FCC ID

IHDT56QD1, IHDT56QD2

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 19: Nokia Lumia 520

Handset Maker

Nokia

Handset Model Name

Lumia 520

FCC ID

QTLRM-917

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 12/13 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 20: Nokia Lumia 710

Handset Maker

Nokia

Handset Model Name

Lumia 710

FCC ID

QMNRM-809

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 12/13 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 21: Nokia Lumia 900

Handset Maker

Nokia

Handset Model Name

Lumia 900

FCC ID

QMNRM-808, QMNRM-823

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 12/13 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 22: Samsung Galaxy S5

Handset Maker

Samsung

Handset Model Name

Galaxy S5

FCC ID

A3LSMG900F, A3LSMG900A, A3LSMG900T, A3LSMG900M

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 06/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 23: Samsung Rugby II

Handset Maker

Samsung

Handset Model Name

Rugby II

FCC ID

A3LSGHA847

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 09/14 to 06/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Middle

Remarks

Handset 24: Shenzhen CE and IT Limited ekit 4C

Handset Maker

Shenzhen CE and IT Limited

Handset Model Name

ekit 4C

FCC ID

YG54C2D

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 05/13 to 03/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 25: Shenzhen CE and IT Limited ekit V600

Handset Maker

Shenzhen CE and IT Limited

Handset Model Name

ekit V600

FCC ID

YG5V600

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 26: Shenzhen CE and IT Limited JT Smart 2

Handset Maker

Shenzhen CE and IT Limited

Handset Model Name

JT Smart 2

FCC ID

YG5SMART2

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 03/14 to 12/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 27: Shenzhen CE and IT Limited JT Smart XL**Handset Maker**

Shenzhen CE and IT Limited

Handset Model Name

JT Smart XL

FCC ID

YG5SMARTXL

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 10/13 to 12/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 28: Shenzhen CE and IT Limited JT Travel Buddy

Handset Maker

Shenzhen CE and IT Limited

Handset Model Name

FCC ID

JT Travel Buddy

YG5JT1

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 04/15 to 12/15

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Handset 29: Snapfon ezTWO-B

Handset Maker

Snapfon

Handset Model Name

ezTWO-B

FCC ID

ZXL-EZTWOB

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 10/13 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Basic

Remarks

Handset 30: Verykool R23

Handset Maker

Verykool

Handset Model Name

R23

FCC ID

WA6R23

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Basic

Remarks

This handset was not offered from 03/14 to 07/14, but the system does not allow entry of this level of detail.

Handset 31: Verykool RS90 Vortex

Handset Maker

Verykool

Handset Model Name

RS90 Vortex

FCC ID

WA6RS90

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/14 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 32: Verykool s758

Handset Maker

Verykool

Handset Model Name

s758

FCC ID

WA6S758

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 10/13 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Handset 33: ZTE Nubia 5s Mini

Handset Maker

ZTE

Handset Model Name

Nubia 5s Mini

FCC ID

SRQ-NX405H

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Advanced

Remarks

Certification

This Report has been certified by:

Steven Searle CFO
01/14/2016 06:18 PM