



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2015 - December 31, 2015

Filing Confirmation Number: 0007098982

Filing Deadline: January 15, 2016

FRN: 0001726488

Filing Date: 01/15/2016 11:27 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: AMERICAN SAMOA TELECOMMUNICATIONS AUTHORITY

Brand Names: apple
motorola
samsung
htc
lg

PO Box: M

Street Address:

City: Pago Pago

State: AS

Zip Code: 96799

Contact Name: ALEX SENE, JR.

Contact Phone: (684) 699-1121

Contact Fax: (684) 699-9034

Contact Email: asene.astca@gmail.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

N/A

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: ASTCA.NET

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Consumer outreach efforts are in the ASTCA.net website where consumers are informed that all handsets offered are HAC compatible and includes links and phone numbers where consumers may call for more information if there are questions regarding handsets HAC compatibility and usage.

Methodology for Functionality Levels

The methodology used to determine levels of functionality includes a numbering system of 1 to 4 with 1 being the handset functionality level with the least offering capabilities, least features offered, and lowest price range and level 4 being the group of most offering capabilities, most features offered, and highest price range.

Report Remarks

NOTE: ASTCA uses only CDMA not GSM. Could not correct this on the handset information. Also, one more handset to report: iphone 4 MC676LLA, fcc id bcge2422a(b), interface:CDMA 850/1900mHz, M4-T4 Rating. Could not find match on handset page. Thank you.

You have reported the following handset model summary information.

Total number of handsets offered: 15

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	2	100%					2
CDMA	9	69%	4	31%			13

Handset 1: HTC Rhyme

Handset Maker

HTC

Handset Model Name

Rhyme

FCC ID

nm8pi46110

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/15 to 10/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

1

Remarks

Handset 2: LG 160

Handset Maker

LG

Handset Model Name

160

FCC ID

ZNFAN160

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/14 to 02/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

2

Remarks

Handset 3: LG 270**Handset Maker**

LG

Handset Model Name

270

FCC ID

ZNFA270

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

1

Remarks

Handset 4: Motorola G XT1028

Handset Maker

Motorola

Handset Model Name

G XT1028

FCC ID

IHDT56PF3

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 05/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

2

Remarks

Handset 5: Samsung D700

Handset Maker

Samsung

Handset Model Name

D700

FCC ID

A3LSPHD710

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 12/14 to 01/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

2

Remarks

Handset 6: Samsung Galaxy Note 4

Handset Maker

Samsung

Handset Model Name

Galaxy Note 4

FCC ID

A3LSMN910C

Air Interfaces/Frequency Bands

850 MHz CDMA
900 MHz CDMA
1800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

4

Remarks

Handset 7: Samsung Galaxy SII R760

Handset Maker

Samsung

Handset Model Name

Galaxy SII R760

FCC ID

A3LSCHR760

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 12/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

1

Remarks

Handset 8: Samsung Gusto 3/SM-B311V

Handset Maker

Samsung

Handset Model Name

Gusto 3/SM-B311V

FCC ID

A3LSCHU365

Air Interfaces/Frequency Bands

800 MHz CDMA
900 MHz CDMA

Dates

This handset model was offered from: 02/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

1

Remarks

Handset 9: Samsung i545

Handset Maker

Samsung

Handset Model Name

i545

FCC ID

a3lgti9505

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/15 to 12/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

4

Remarks

Handset 10: Samsung Nexus

Handset Maker

Samsung

Handset Model Name

Nexus

FCC ID

A3LSCHI515

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 03/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

2

Remarks

Handset 11: Samsung R390**Handset Maker**

Samsung

Handset Model Name

R390

FCC ID

A3LSCHR390

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

1

Remarks

Handset 12: Samsung S6 Edge

Handset Maker

Samsung

Handset Model Name

S6 Edge

FCC ID

a3lsmg925f

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 08/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

4

Remarks

Handset 13: Samsung S6 Flat

Handset Maker

Samsung

Handset Model Name

S6 Flat

FCC ID

A3LSMG920V

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 08/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

4

Remarks

Handset 14: Samsung SAMSUNG_S5-GALAXY

Handset Maker

Samsung

Handset Model Name

SAMSUNG_S5-GALAXY

FCC ID

A3LSMG900R7

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

4

Remarks

Handset 15: Samsung SCH-I535

Handset Maker

Samsung

Handset Model Name

SCH-I535

FCC ID

A3LSCHI535

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/15 to 12/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

3

Remarks

Certification

This Report has been certified by:

Jason Betham Chief Financial Officer
01/15/2016 11:27 PM