



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2015 - June 30, 2016
Filing Deadline: July 15, 2016
Filing Date: 07/15/2016 12:33 PM

Filing Confirmation Number: 0007341532
FRN: 0018919456

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: Sony Mobile Communications, Inc.
Brand Names: Xperia
PO Box:
Street Address: 2207 Bridgepointe Parkway
City: San Mateo
State: CA
Zip Code: 94404

Contact Name: Wayne Moyung
Contact Phone: (650) 581-6971
Contact Fax:
Contact Email: Wayne.Moyung@sonymobile.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for

hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels. Yes

Website address: <http://blogs.sonymobile.com/about-us/sustainability/accessibility/hearing-aid-compatibility/>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: During the past 12 months, Sony Mobile continues to maintain outreach efforts for consumers by bring the latest technology added to new handsets that supported accessibility features. Global Accessibility Reporting Initiative (GARI) has updated their website allowing consumers around the world with our latest handsets as well as other devices based on dexterity, vision, hearing/speech or cognition.

<http://www.gari.info/findphones.cfm>

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 10

Report Remarks

The Company answered the first labeling question yes because it was compliant with the labeling requirements during the reporting period except for a brief period for a single model. Upon discovery of the inadvertent error, the Company corrected the labeling.

You have reported the following handset model summary information.

Total number of handsets offered: 15

| Air Interface | Fully Hearing Aid Compatible | | Acoustic Coupling Compatible Only | | Non-Compliant Handsets | | Total by Air Interface |
|---------------|------------------------------|---------|-----------------------------------|---------|------------------------|---------|------------------------|
| | Number | Percent | Number | Percent | Number | Percent | |

| | | | | | | | |
|-----|----|-----|--|--|---|----|----|
| GSM | 14 | 93% | | | 1 | 7% | 15 |
|-----|----|-----|--|--|---|----|----|

You have reported the following handset model summary information.

Total number of handsets offered: 15

| Air Interface | Fully Hearing Aid Compatible | | Acoustic Coupling Compatible Only | | Non-Compliant Handsets | | Total by Air Interface |
|---------------|------------------------------|---------|-----------------------------------|---------|------------------------|---------|------------------------|
| | Number | Percent | Number | Percent | Number | Percent | |
| CDMA | 1 | 100% | | | | | 1 |
| WCDMA | 14 | 93% | | | 1 | 7% | 15 |
| LTE | 14 | 93% | | | 1 | 7% | 15 |
| Wi-Fi | 14 | 93% | | | 1 | 7% | 15 |

Handset 1: Sony Mobile Communications Xperia D5803

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia D5803

FCC ID

PY7PM-0810

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M3

M-Rating Certification Date: 08/11/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 08/11/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 2: Sony Mobile Communications Xperia D6503

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia D6503

PY7PM-0740

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

900 MHz GSM

900 MHz WCDMA

900 MHz LTE

1700 MHz WCDMA

1700 MHz LTE

1800 MHz GSM

1800 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2100 MHz WCDMA

2100 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M4

M-Rating Certification Date: 03/28/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/28/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 3: Sony Mobile Communications Xperia D6603

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia D6603

FCC ID

PY7PM-0800

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 07/15/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/15/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 4: Sony Mobile Communications Xperia D6708

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia D6708

FCC ID

PY7PM-0742

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
900 MHz GSM
900 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/15 to 07/15

Ratings

M-Rating: M4

M-Rating Certification Date: 08/08/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/08/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 5: Sony Mobile Communications Xperia E2306

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia E2306

FCC ID

PY7-PM0785

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2.4 GHz Wi-Fi
2.5 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 03/31/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/31/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 6: Sony Mobile Communications Xperia E5306

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia E5306

PY7-PM0860

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

900 MHz GSM

900 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2100 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

2600 MHz LTE

Dates

This handset model was offered from: 10/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 04/20/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/20/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 7: Sony Mobile Communications Xperia E5506

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia E5506

PY7-PM0890

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

900 MHz GSM

900 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2100 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

2600 MHz LTE

Dates

This handset model was offered from: 10/15 to 06/16

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 8: Sony Mobile Communications Xperia E5803

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia E5803

FCC ID

PY7-PM0881

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE
2300 MHz LTE

Dates

This handset model was offered from: 02/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 09/15/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/15/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 9: Sony Mobile Communications Xperia E6553

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia E6553

FCC ID

PY7-PM0791

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE
2300 MHz LTE

Dates

This handset model was offered from: 10/15 to 03/16

Ratings

M-Rating: M4

M-Rating Certification Date: 05/11/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/11/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 10: Sony Mobile Communications Xperia E6603

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia E6603

FCC ID

PY7-PM0901

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE
2300 MHz LTE

Dates

This handset model was offered from: 02/16 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 09/13/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/13/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 11: Sony Mobile Communications Xperia F3113

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia F3113

FCC ID

PY7-PM0922

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 06/16 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 02/02/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/02/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 12: Sony Mobile Communications Xperia F3213

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia F3213

FCC ID

PY7-PM0954

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 06/16 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 06/04/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/04/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 13: Sony Mobile Communications Xperia F5121

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia F5121

FCC ID

PY7-PM0930

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz WCDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE
2300 MHz LTE
2500 MHz LTE

Dates

This handset model was offered from: 06/16 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 04/14/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/14/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 14: Sony Mobile Communications Xperia F5122

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia F5122

FCC ID

PY7-PM0931

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz WCDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE
2300 MHz LTE
2500 MHz LTE

Dates

This handset model was offered from: 06/16 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 04/14/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/14/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 15: Sony Mobile Communications Xperia F8131

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia F8131

FCC ID

PY7-PM0940

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz WCDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE
2300 MHz LTE
2500 MHz LTE

Dates

This handset model was offered from: 06/16 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 04/30/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/30/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Certification

This Report has been certified by:

Wayne Moyung Senior Verification Engineer
07/15/2016 12:33 PM