



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2015 - June 30, 2016
Filing Deadline: July 15, 2016
Filing Date: 07/15/2016 01:30 AM

Filing Confirmation Number: 0007340880
FRN: 0009221672

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: TCT Mobile Limited
Brand Names: Alcatel onetouch
PO Box:
Street Address: Room 1910-12A, Tower 3, China HK City, 33 Canton Road
City: Kowloon, Hongkong
State: CA
Zip Code: 92606

Contact Name: Vivian Lau
Contact Phone: (318) 028-6200
Contact Fax:
Contact Email: vivian.lau@tcl.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for

hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels. Yes

Website address:

<http://www.alcatelonetouch.us/Hearing-Aid-Compatibility-with-Mobile-Phones-Accessibility-and-Compliance/b/10844773011>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Nil

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 19

Report Remarks

Nil

You have reported the following handset model summary information.

Total number of handsets offered: 18

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	9	69%	4	31%			13
CDMA	5	100%					5
WCDMA	10	71%	4	29%			14
LTE	3	75%	1	25%			4

You have reported the following handset model summary information.
 Total number of handsets offered: 18

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
Wi-Fi	4	57%	3	43%			7

Handset 1: TCT Mobile Limited 1018B

Handset Maker

TCT Mobile Limited

Handset Model Name

1018B

FCC ID

RAD556

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M3

M-Rating Certification Date: 09/09/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/09/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 2: TCT Mobile Limited 2017B

Handset Maker

TCT Mobile Limited

Handset Model Name

2017B

2017P

A394C

FCC ID

RAD506

RAD506

RAD506

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/15 to 07/15

Ratings

M-Rating: M4

M-Rating Certification Date: 06/26/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/26/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 3: TCT Mobile Limited 4037N**Handset Maker**

TCT Mobile Limited

Handset Model Name	FCC ID
4037N	RAD483
4037R	RAD483
4037T	RAD483

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 07/15

Ratings

M-Rating: M3

M-Rating Certification Date: 06/11/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/11/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 4: TCT Mobile Limited 6039S

Handset Maker

TCT Mobile Limited

Handset Model Name

6039S

FCC ID

RAD547

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2600 MHz LTE

Dates

This handset model was offered from: 07/15 to 08/15

Ratings

M-Rating: M3

M-Rating Certification Date: 06/17/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 5: TCT Mobile Limited 6043A

Handset Maker

TCT Mobile Limited

Handset Model Name

6043A

FCC ID

RAD493

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 08/15

Ratings

M-Rating: M4

M-Rating Certification Date: 07/03/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/03/14

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 6: TCT Mobile Limited 7040N

Handset Maker

TCT Mobile Limited

Handset Model Name	FCC ID
--------------------	--------

7040N	RAD475
7040R	RAD475
7040T	RAD475

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 07/15

Ratings

M-Rating: M4

M-Rating Certification Date: 06/20/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/20/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 7: TCT Mobile Limited 7047A

Handset Maker

TCT Mobile Limited

Handset Model Name	FCC ID
--------------------	--------

7047A	RAD465
-------	--------

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 07/15

Ratings

M-Rating: M3

M-Rating Certification Date: 03/07/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 8: TCT Mobile Limited A205G

Handset Maker

TCT Mobile Limited

Handset Model Name

A205G

FCC ID

RAD291

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 07/15

Ratings

M-Rating: M3

M-Rating Certification Date: 10/18/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 10/18/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 9: TCT Mobile Limited A205G-B

Handset Maker

TCT Mobile Limited

Handset Model Name

FCC ID

A205G-B

RAD527

A207BG

RAD527

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 02/16

Ratings

M-Rating: M4

M-Rating Certification Date: 12/09/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/09/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 10: TCT Mobile Limited A206G

Handset Maker

TCT Mobile Limited

Handset Model Name	FCC ID
--------------------	--------

A206G	RAD477
-------	--------

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 07/15

Ratings

M-Rating: M3

M-Rating Certification Date: 08/19/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 08/19/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 11: TCT Mobile Limited A392A

Handset Maker

TCT Mobile Limited

Handset Model Name	FCC ID
--------------------	--------

A392A	RAD348
A392G	RAD348

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 07/15

Ratings

M-Rating: M3

M-Rating Certification Date: 05/29/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/29/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 12: TCT Mobile Limited A460G

Handset Maker

TCT Mobile Limited

Handset Model Name

FCC ID

A460G

RAD540

A460T

RAD540

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M3

M-Rating Certification Date: 04/03/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/03/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 13: TCT Mobile Limited A463BG

Handset Maker

TCT Mobile Limited

Handset Model Name

A463BG

FCC ID

RAD549

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 08/15

Ratings

M-Rating: M3

M-Rating Certification Date: 05/14/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 14: TCT Mobile Limited A520L

Handset Maker

TCT Mobile Limited

Handset Model Name

FCC ID

A520L

RAD535

A520R

RAD535

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 07/15

Ratings

M-Rating: M4

M-Rating Certification Date: 02/12/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/12/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 15: TCT Mobile Limited A521L

Handset Maker

TCT Mobile Limited

Handset Model Name

FCC ID

A521L

RAD534

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 08/15

Ratings

M-Rating: M4

M-Rating Certification Date: 01/21/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/21/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 16: TCT Mobile Limited A564C**Handset Maker**

TCT Mobile Limited

Handset Model Name**FCC ID**

A564C

RAD476

A564R

RAD476

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz WCDMA

1900 MHz CDMA

1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 11/15

Ratings

M-Rating: M4

M-Rating Certification Date: 06/27/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/27/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 17: TCT Mobile Limited A846L

Handset Maker

TCT Mobile Limited

Handset Model Name

A846L

FCC ID

RAD528

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 07/15

Ratings

M-Rating: M4

M-Rating Certification Date: 02/05/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 02/05/15

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 18: TCT Mobile Limited ONE TOUCH 6012A

Handset Maker

TCT Mobile Limited

Handset Model Name

ONE TOUCH 6012A

FCC ID

RAD390

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 07/15

Ratings

M-Rating: M3

M-Rating Certification Date: 09/03/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Certification

This Report has been certified by:

Vivian Lau Legal Counsel
07/15/2016 01:30 AM