



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2015 - June 30, 2016
Filing Deadline: July 15, 2016
Filing Date: 07/14/2016 01:14 PM

Filing Confirmation Number: 0007340367
FRN: 0005810205

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: Samsung Electronics America
Brand Names: Samsung
PO Box:
Street Address: 85 Challenger Road
City: Ridgefield Park
State: NJ
Zip Code: 07660

Contact Name: Kendra M. Green
Contact Phone: (972) 761-7123
Contact Fax:
Contact Email: kgreen@sea.samsung.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for

hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels. Yes

Website address: <http://www.samsung.com/us/accessibility/mobile/>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Samsung participated in California State University Northridge CSUN demoing accessibility features including handsets that were certified as Hearing Aid Compatible. While at CSUN Samsung provided consumers with Samsung Wireless Accessibility information that provided the website for more information on Samsung handsets with hearing aid compatibility and rating.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 26

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 84

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	57	90%	6	10%			63
CDMA	45	88%	6	12%			51
WCDMA	55	92%	5	8%			60

You have reported the following handset model summary information.

Total number of handsets offered: 84

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
LTE	67	89%	8	11%			75
Wi-Fi	70	90%	8	10%			78

Handset 1: Samsung rugby 4

Handset Maker

Samsung

Handset Model Name

rugby 4

FCC ID

A3LSMB780A

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M3

M-Rating Certification Date: 06/02/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/02/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 2: Samsung SCH-I435

Handset Maker

Samsung

Handset Model Name

SCH-I435

FCC ID

A3LSCHI435

Air Interfaces/Frequency Bands

800 MHz CDMA
 800 MHz LTE
 850 MHz GSM
 850 MHz WCDMA
 1700 MHz LTE
 1900 MHz GSM
 1900 MHz CDMA
 1900 MHz WCDMA
 2.4 GHz Wi-Fi
 5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 10/17/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/17/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks**Handset 3: Samsung SCH-I545****Handset Maker**

Samsung

Handset Model Name**FCC ID**

SCH-I545	A3LSCHI545
SCH-I545L	A3LSCHI545

Air Interfaces/Frequency Bands

800 MHz CDMA
 800 MHz LTE
 850 MHz GSM
 850 MHz WCDMA
 1700 MHz LTE
 1900 MHz GSM
 1900 MHz CDMA
 1900 MHz WCDMA
 2.4 GHz Wi-Fi
 5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 03/29/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 4: Samsung SCH-R220G**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SCH-R220G

A3LSCHR220

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 01/31/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/31/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 5: Samsung SCH-R970

Handset Maker

Samsung

Handset Model Name

SCH-R970

FCC ID

A3LSCHR970

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 05/16

Ratings

M-Rating: M4

M-Rating Certification Date: 03/27/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 6: Samsung SCH-R970X

Handset Maker

Samsung

Handset Model Name

SCH-R970X

FCC ID

A3LSCHR970C

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 05/03/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 7: Samsung SCH-S336C

Handset Maker

Samsung

Handset Model Name

SCH-S336C

FCC ID

A3LSCHU365

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/15 to 02/16

Ratings

M-Rating: M4

M-Rating Certification Date: 01/30/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/30/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 8: Samsung SCH-S968C

Handset Maker

Samsung

Handset Model Name

SCH-S968C

FCC ID

A3LSCHI535

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz GSM
1900 MHz GSM
1900 MHz CDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 06/01/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 9: Samsung SCH-U680

Handset Maker

Samsung

Handset Model Name FCC ID

SCH-U680 A3LSCHU680

SCH-U680N A3LSCHU680

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 03/15/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/15/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 10: Samsung SGH-I337Z

Handset Maker

Samsung

Handset Model Name

SGH-I337Z

FCC ID

A3LSGHI337

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 08/15

Ratings

M-Rating: M3

M-Rating Certification Date: 04/01/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 11: Samsung SGH-M919

Handset Maker

Samsung

Handset Model Name

SGH-M919

FCC ID

A3LSGHM919

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA

1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 08/15

Ratings

M-Rating: M3

M-Rating Certification Date: 04/05/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 12: Samsung SGH-T199

Handset Maker

Samsung

Handset Model Name

SGH-T199

FCC ID

A3LSGHT199

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 04/16

Ratings

M-Rating: M3

M-Rating Certification Date: 01/29/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 13: Samsung SGH-T399N

Handset Maker

Samsung

Handset Model Name

SGH-T399N

FCC ID

A3LSGHT399

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1800 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 07/15

Ratings

M-Rating: M3

M-Rating Certification Date: 09/13/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/13/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 14: Samsung SM-B311V

Handset Maker

Samsung

Handset Model Name

SM-B311V

FCC ID

A3LSMB311V

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 01/21/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/21/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 15: Samsung SM-B690V

Handset Maker

Samsung

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

850 MHz GSM
 850 MHz CDMA
 1900 MHz GSM
 1900 MHz CDMA

Dates

This handset model was offered from: 03/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 01/28/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/28/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks**Handset 16: Samsung SM-G310R5****Handset Maker**

Samsung

Handset Model Name

SM-G310R5

FCC ID

A3LSMS765C

Air Interfaces/Frequency Bands

800 MHz CDMA
 1900 MHz CDMA
 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 02/16

Ratings

M-Rating: M4

M-Rating Certification Date: 03/10/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/10/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 17: Samsung SM-G360AZ

Handset Maker

Samsung

Handset Model Name

SM-G360AZ

FCC ID

A3LSMG360AZ

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 02/05/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/05/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 18: Samsung SM-G360P

Handset Maker

Samsung

Handset Model Name

SM-G360P

FCC ID

A3LSMG360P

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

850 MHz CDMA

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.5 GHz LTE

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 11/24/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 11/24/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 19: Samsung SM-G360T

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G360T	A3LSMG360T
SM-G360T1	A3LSMG360T

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 05/11/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/11/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 20: Samsung SM-G360R6

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G360R6	A3LSMG360V
SM-G360V	A3LSMG360V
SM-S820L	A3LSMG360V

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 12/30/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 12/30/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 21: Samsung SM-G386T

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G386T

A3LSMG386T

SM-G386T1

A3LSMG386T

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 06/11/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/11/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 22: Samsung SM-G530A

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G530A

A3LSMG530AZ

SM-G530AZ

A3LSMG530AZ

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

900 MHz GSM

900 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 02/04/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/04/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 23: Samsung SM-G530P

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G530P

A3LSMG530P

SM-G530R7

A3LSMG530P

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

800 MHz LTE

850 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.5 GHz LTE

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 06/05/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/05/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 24: Samsung SM-G530R4

Handset Maker

Samsung

Handset Model Name

SM-G530R4

FCC ID

A3LSMG530R4

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 05/18/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/18/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 25: Samsung SM-G530T

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G530T	A3LSMG530T
SM-G530T1	A3LSMG530T

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 05/19/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/19/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 26: Samsung SM-G550T

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G550T	A3LSMG550T
SM-G550T1	A3LSMG550T

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 06/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 05/04/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/04/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 27: Samsung SM-G750A

Handset Maker

Samsung

Handset Model Name

SM-G750A

FCC ID

A3LSMG750A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 07/15

Ratings

M-Rating: M3

M-Rating Certification Date: 07/24/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/24/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 28: Samsung SM-G800A

Handset Maker

Samsung

Handset Model Name

SM-G800A

FCC ID

A3LSMG800A

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 08/15

Ratings

M-Rating: M3

M-Rating Certification Date: 08/15/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/15/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 29: Samsung SM-G800R4

Handset Maker

Samsung

Handset Model Name

SM-G800R4

FCC ID

A3LSMG800R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 09/15/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/15/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 30: Samsung SM-G870A

Handset Maker

Samsung

Handset Model Name

SM-G870A

FCC ID

A3LSMG870A

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 07/15

Ratings

M-Rating: M3

M-Rating Certification Date: 05/08/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/08/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 31: Samsung SM-G890A

Handset Maker

Samsung

Handset Model Name

SM-G890A

FCC ID

A3LSMG890A

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

2300 MHz LTE

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 05/12/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/12/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 32: Samsung SM-G891A

Handset Maker

Samsung

Handset Model Name

SM-G891A

FCC ID

A3LSMG891A

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.5 GHz LTE

5.0 GHz Wi-Fi

2300 MHz LTE

Dates

This handset model was offered from: 05/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 04/22/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/22/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 33: Samsung SM-G900A

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G900A

A3LSMG900A

SM-G900AZ

A3LSMG900A

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

800 MHz LTE

850 MHz GSM

850 MHz CDMA

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 02/16

Ratings

M-Rating: M3

M-Rating Certification Date: 03/07/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/07/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 34: Samsung SM-G900P

Handset Maker

Samsung

Handset Model Name

SM-G900P

FCC ID

A3LSMG900P

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.5 GHz LTE

5.0 GHz Wi-Fi

820 MHz CDMA

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M3

M-Rating Certification Date: 03/07/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/07/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 35: Samsung SM-G900R4

Handset Maker

Samsung

Handset Model Name

SM-G900R4

FCC ID

A3LSMG900R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 01/16

Ratings

M-Rating: M4

M-Rating Certification Date: 03/10/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/10/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 36: Samsung SM-G900R6

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G900R6	A3LSMG900V
SM-G900V	A3LSMG900V
SM-S902L	A3LSMG900V

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 03/07/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/07/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 37: Samsung SM-G900R7

Handset Maker

Samsung

Handset Model Name

SM-G900R7

FCC ID

A3LSMG900R7

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 03/16

Ratings

M-Rating: M4

M-Rating Certification Date: 04/21/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/21/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 38: Samsung SM-G900T

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G900T	A3LSMG900T
SM-G900T1	A3LSMG900T
SM-G900T3	A3LSMG900T

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1800 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 02/16

Ratings

M-Rating: M3

M-Rating Certification Date: 03/07/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/07/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 39: Samsung SM-G920A

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G920A	A3LSMG920A
SM-G920AZ	A3LSMG920A

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2300 MHz LTE

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 03/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 40: Samsung SM-G920P

Handset Maker

Samsung

Handset Model Name

SM-G920P

FCC ID

A3LSMG920P

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 03/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 41: Samsung SM-G920R4

Handset Maker

Samsung

Handset Model Name

SM-G920R4

FCC ID

A3LSMG920R4

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 03/03/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/03/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 42: Samsung SM-G920R7

Handset Maker

Samsung

Handset Model Name

SM-G920R7

FCC ID

A3LSMG920R7

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 04/14/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/14/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 43: Samsung SM-G920T

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G920T

A3LSMG920T

SM-G920T1

A3LSMG920T

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 03/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 44: Samsung S906L

Handset Maker

Samsung

Handset Model Name

FCC ID

S906L	A3LSMG920V
SM-G920R6	A3LSMG920V
SM-G920V	A3LSMG920V

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 03/19/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/19/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 45: Samsung SM-G925A

Handset Maker

Samsung

Handset Model Name

SM-G925A

FCC ID

A3LSMG925A

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

2300 MHz LTE

Dates

This handset model was offered from: 07/15 to 02/16

Ratings

M-Rating: M4

M-Rating Certification Date: 03/19/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/19/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 46: Samsung SM-G925P

Handset Maker

Samsung

Handset Model Name

SM-G925P

FCC ID

A3LSMG925P

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 02/16

Ratings

M-Rating: M4

M-Rating Certification Date: 03/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 47: Samsung SM-G925R4

Handset Maker

Samsung

Handset Model Name

SM-G925R4

FCC ID

A3LSMG925R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 03/03/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/03/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 48: Samsung SM-G925R7

Handset Maker

Samsung

Handset Model Name

SM-G925R7

FCC ID

A3LSMG925R7

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
782 MHz LTE

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 04/14/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/14/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 49: Samsung SM-G925T

Handset Maker

Samsung

Handset Model Name

SM-G925T

FCC ID

A3LSMG925T

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 04/16

Ratings

M-Rating: M4

M-Rating Certification Date: 03/01/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/01/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 50: Samsung SM-G925R6

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G925R6

A3LSMG925V

SM-G925V

A3LSMG925V

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 03/19/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/19/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 51: Samsung SM-G928A

Handset Maker

Samsung

Handset Model Name

SM-G928A

FCC ID

A3LSMG928A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2300 MHz LTE

Dates

This handset model was offered from: 07/15 to 02/16

Ratings

M-Rating: M4

M-Rating Certification Date: 07/15/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/15/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 52: Samsung SM-G928P

Handset Maker

Samsung

Handset Model Name

SM-G928P

FCC ID

A3LSMG928P

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz CDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 02/16

Ratings

M-Rating: M4

M-Rating Certification Date: 07/21/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/21/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 53: Samsung SM-G928R4

Handset Maker

Samsung

Handset Model Name

SM-G928R4

FCC ID

A3LSMG928R4

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz CDMA

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 02/16

Ratings

M-Rating: M4

M-Rating Certification Date: 07/16/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/16/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 54: Samsung SM-G928T

Handset Maker

Samsung

Handset Model Name

SM-G928T

FCC ID

A3LSMG928T

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 02/16

Ratings

M-Rating: M4

M-Rating Certification Date: 07/16/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/16/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 55: Samsung SM-G928V

Handset Maker

Samsung

Handset Model Name

SM-G928V

FCC ID

A3LSMG928V

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 02/16

Ratings

M-Rating: M4

M-Rating Certification Date: 07/15/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/15/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 56: Samsung SM-G930A

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G930A	A3LSMG930US
SM-G930AZ	A3LSMG930US
SM-G930P	A3LSMG930US
SM-G930R4	A3LSMG930US
SM-G930R6	A3LSMG930US
SM-G930R7	A3LSMG930US
SM-G930T	A3LSMG930US
SM-G930T1	A3LSMG930US
SM-G930U	A3LSMG930US
SM-G930V	A3LSMG930US
SM-G930VL	A3LSMG930US

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2300 MHz LTE
2500 MHz LTE

Dates

This handset model was offered from: 02/16 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 02/03/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/03/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 57: Samsung SM-G935A

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G935A	A3LSMG935US
SM-G935P	A3LSMG935US
SM-G935R4	A3LSMG935US
SM-G935T	A3LSMG935US
SM-G935U	A3LSMG935US
SM-G935V	A3LSMG935US

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE
5.0 GHz Wi-Fi
2300 MHz LTE

Dates

This handset model was offered from: 02/16 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 02/03/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/03/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 58: Samsung SM-J100VPP

Handset Maker

Samsung

Handset Model Name

SM-J100VPP

FCC ID

A3LSMJ100VPP

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 04/15/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/15/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 59: Samsung SM-J120A

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-J120A	A3LSMJ120A
SM-J120AZ	A3LSMJ120A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 03/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 01/28/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/28/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 60: Samsung SM-J320A

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-J320A	A3LSMJ320A
SM-J320AZ	A3LSMJ320A
SM-J321AZ	A3LSMJ320A

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 03/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 02/19/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/19/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 61: Samsung SM-J320P

Handset Maker

Samsung

Handset Model Name

SM-J320P

FCC ID

A3LSMJ320P

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE

Dates

This handset model was offered from: 12/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 11/17/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 11/17/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 62: Samsung SM-J320R4

Handset Maker

Samsung

Handset Model Name

SM-J320R4

FCC ID

A3LSMJ320R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 04/16 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 03/11/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/11/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 63: Samsung SM-J320VPP

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-J320VPP

A3LSMJ320VPP

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz CDMA

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 03/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 03/03/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/03/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 64: Samsung SM-J700P

Handset Maker

Samsung

Handset Model Name

SM-J700P

FCC ID

A3LSMJ700P

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 03/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 01/18/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/18/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 65: Samsung SM-J700T

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-J700T

A3LSMJ700T

SM-J700T1

A3LSMJ700T

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 04/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 04/01/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/01/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 66: Samsung SM-N910A

Handset Maker

Samsung

Handset Model Name

SM-N910A

FCC ID

A3LSMN910A

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 11/15

Ratings

M-Rating: M4

M-Rating Certification Date: 09/25/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/25/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 67: Samsung SM-N910P

Handset Maker

Samsung

Handset Model Name

SM-N910P

FCC ID

A3LSMN910P

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.5 GHz LTE

5.0 GHz Wi-Fi

820 MHz CDMA

Dates

This handset model was offered from: 07/15 to 03/16

Ratings

M-Rating: M4

M-Rating Certification Date: 09/11/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/11/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 68: Samsung SM-N910R4

Handset Maker

Samsung

Handset Model Name

SM-N910R4

FCC ID

A3LSMN910R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 09/16/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/16/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 69: Samsung SM-N910T

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-N910T	A3LSMN910T
SM-N910T2	A3LSMN910T
SM-N910T3	A3LSMN910T

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 03/16

Ratings

M-Rating: M4

M-Rating Certification Date: 11/18/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 11/18/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 70: Samsung SM-N910V

Handset Maker

Samsung

Handset Model Name

SM-N910V

FCC ID

A3LSMN910V

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 03/16

Ratings

M-Rating: M4

M-Rating Certification Date: 09/12/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/12/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 71: Samsung SM-N915A

Handset Maker

Samsung

Handset Model Name

SM-N915A

FCC ID

A3LSMN915A

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 08/15

Ratings

M-Rating: M4

M-Rating Certification Date: 10/07/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/07/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 72: Samsung SM-N915P

Handset Maker

Samsung

Handset Model Name

SM-N915P

FCC ID

A3LSMN915P

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

850 MHz GSM

850 MHz CDMA

850 MHz WCDMA

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.5 GHz LTE

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 07/15

Ratings

M-Rating: M4

M-Rating Certification Date: 10/16/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/16/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 73: Samsung SM-N915T

Handset Maker

Samsung

Handset Model Name

SM-N915T

FCC ID

A3LSMN915T

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 07/15

Ratings

M-Rating: M3

M-Rating Certification Date: 10/08/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/08/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 74: Samsung SM-N915V

Handset Maker

Samsung

Handset Model Name

SM-N915V

FCC ID

A3LSMN915V

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 08/15

Ratings

M-Rating: M4

M-Rating Certification Date: 11/19/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 11/19/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 75: Samsung SM-N920A

Handset Maker

Samsung

Handset Model Name

SM-N920A

FCC ID

A3LSMN920A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz WCDMA
800 MHz LTE
850 MHz GSM
850 MHz CDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 07/15/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/15/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 76: Samsung SM-N920P

Handset Maker

Samsung

Handset Model Name

SM-N920P

FCC ID

A3LSMN920P

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

2300 MHz LTE

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 07/21/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/21/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 77: Samsung SM-N920R4

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-N920R4

A3LSMN920R4

SM-N920R7

A3LSMN920R4

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz CDMA

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 07/16/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/16/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 78: Samsung SM-N920T

Handset Maker

Samsung

Handset Model Name

SM-N920T

FCC ID

A3LSMN920T

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 07/16/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/16/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 79: Samsung SM-N920R6

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-N920R6

A3LSMN920V

SM-N920V

A3LSMN920V

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz CDMA

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 08/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 07/15/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/15/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 80: Samsung SM-S777C

Handset Maker

Samsung

Handset Model Name

SM-S777C

FCC ID

A3LSMS777C

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 03/20/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/20/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 81: Samsung SM-S920L

Handset Maker

Samsung

Handset Model Name

SM-S920L

FCC ID

A3LSMS920L

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 03/26/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/26/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 82: Samsung SM-S978L

Handset Maker

Samsung

Handset Model Name

SM-S978L

FCC ID

A3LSMS978L

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 10/15 to 02/16

Ratings

M-Rating: M4

M-Rating Certification Date: 04/13/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/13/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 83: Samsung SPH-L710T

Handset Maker

Samsung

Handset Model Name

SPH-L710T

FCC ID

A3LSPHL710T

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M4

M-Rating Certification Date: 04/25/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 84: Samsung SPH-L720T

Handset Maker

Samsung

Handset Model Name

SPH-L720T

FCC ID

A3LSPHL720T

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

850 MHz GSM

850 MHz CDMA

850 MHz WCDMA

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2.5 GHz LTE

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M3

M-Rating Certification Date: 10/21/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Certification

This Report has been certified by:

Kendra M Green Regulatory Compliance Manager
07/14/2016 01:14 PM