



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2015 - June 30, 2016
Filing Deadline: July 15, 2016
Filing Date: 07/13/2016 04:00 PM

Filing Confirmation Number: 0007339371
FRN: 0004321311

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: Motorola Mobility LLC
Brand Names: Motorola
PO Box:
Street Address: 222 W. Merchandise Mart Plaza
City: Chicago
State: IL
Zip Code: 60654

Contact Name: John Lewczak
Contact Phone: (954) 324-7707
Contact Fax: (954) 337-2377
Contact Email: jlewczak@motorola.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for

hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels. Yes

Website address: <http://www.motorola.com/hacphones>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: A Motorola Mobility staff member served as the chair of the Accessibility Working Group (AWG) of the Mobile Manufacturers Forum (MMF), and participated in several meetings gathering inputs from various regulatory, industry, and disability groups.

Motorola Mobility participated in several meetings with the World Institute on Disability, with a Motorola staff member acting as the Vice Chair of the WID Board of Directors.

Motorola Mobility sponsored WID's Mobile Accessibility Pilot by providing mobile phones, service, and technical expertise to nine testers with various disabilities. The findings have been summarized in a Moto X User Accessibility Experience report for future product development.

Motorola Mobility worked with community partners, disability advocates, and over 45 App developers to host the ADA25 Moto Hackathon in Chicago. With participation from all over the city, 7 proposals were generated - advancing accessibility in Transportation, Education, Arts & Culture, and Business Productivity.

Motorola Mobility worked with community partners and disability advocates in sharing best practices in employing and educating people with disabilities through the ADA25 Chicago Opportunity Summit.

A Motorola Mobility staff member participated in Access Living's Movers & Shakers event.

A Motorola Mobility staff member participated in several webinars with various disability groups through industry trade associations (TIA and CTIA).

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 13

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 28

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	28	100%					28
CDMA	14	100%					14
WCDMA	27	100%					27
LTE	13	100%					13
Wi-Fi	5	100%					5

Handset 1: Motorola Droid MAXX 2

Handset Maker

Motorola

Handset Model Name

FCC ID

Droid MAXX 2	IHDT56UB1
XT1564	IHDT56UB1
XT1565	IHDT56UB1

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.5 GHz LTE
2.5 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 10/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 07/10/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/10/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 2: Motorola Droid MAXX XT1080

Handset Maker

Motorola

Handset Model Name FCC ID

Droid MAXX XT1080 IHDT56PE2

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 10/15

Ratings

M-Rating: M3

M-Rating Certification Date: 07/03/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/03/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 3: Motorola Droid Turbo XT1254

Handset Maker

Motorola

Handset Model Name

Droid Turbo XT1254

FCC ID

IHDT56PK1

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE

Dates

This handset model was offered from: 07/15 to 03/16

Ratings

M-Rating: M4

M-Rating Certification Date: 09/11/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/11/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 4: Motorola Droid Turbo XT1255

Handset Maker

Motorola

Handset Model Name

Droid Turbo XT1255

FCC ID

IHDT56PK2

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM

1900 MHz WCDMA
1900 MHz LTE

Dates

This handset model was offered from: 07/15 to 04/16

Ratings

M-Rating: M4

M-Rating Certification Date: 10/07/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/07/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 5: Motorola Moto E (2nd) XT1505

Handset Maker

Motorola

Handset Model Name

FCC ID

Moto E (2nd) XT1505

IHDT56QF1

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 03/16

Ratings

M-Rating: M3

M-Rating Certification Date: 01/12/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/12/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 6: Motorola Moto E (2nd) XT1511

Handset Maker

Motorola

Handset Model Name

Moto E (2nd) XT1511

FCC ID

IHDT56QF2

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 04/16

Ratings

M-Rating: M3

M-Rating Certification Date: 01/28/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/28/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 7: Motorola Moto E (2nd) XT1526

Handset Maker

Motorola

Handset Model Name

Moto E (2nd) XT1526

FCC ID

IHDT56QC7

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 01/22/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/22/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 8: Motorola Moto E (2nd) XT1527

Handset Maker

Motorola

Handset Model Name

Moto E (2nd) XT1527

FCC ID

IHDT56QC1

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 05/16

Ratings

M-Rating: M3

M-Rating Certification Date: 01/14/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/14/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 9: Motorola Moto E (2nd) XT1528

Handset Maker

Motorola

Handset Model Name

Moto E (2nd) XT1528

FCC ID

IHDT56QC8

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 01/27/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/27/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 10: Motorola Moto E XT1021

Handset Maker

Motorola

Handset Model Name

Moto E XT1021

FCC ID

IHDT56PJ1

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 04/10/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/10/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 11: Motorola MOTO E XT1023

Handset Maker

Motorola

Handset Model Name

MOTO E XT1023

FCC ID

IHDT56PJ3

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz CDMA
1700 MHz CDMA
1900 MHz GSM
1900 MHz CDMA

Dates

This handset model was offered from: 07/15 to 07/15

Ratings

M-Rating: M3

M-Rating Certification Date: 04/17/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/17/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 12: Motorola Moto G (XT1540)

Handset Maker

Motorola

Handset Model Name

Moto G (XT1540)

Moto G (XT947BL)

FCC ID

IHDT56QG1

IHDT56QG1

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA

1900 MHz LTE
2.5 GHz LTE

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 05/29/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/29/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 13: Motorola Moto G (XT1548)

Handset Maker

Motorola

Handset Model Name

FCC ID

Moto G (XT1548)

IHDT56QG6

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE

Dates

This handset model was offered from: 08/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 07/09/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/09/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 14: Motorola Moto G Plus (4th Gen

Handset Maker

Motorola

Handset Model Name FCC ID

Moto G Plus (4th Gen	IHDT56VA5
XT1625	IHDT56VA5
XT1644	IHDT56VA5

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.5 GHz LTE

Dates

This handset model was offered from: 06/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 05/20/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/20/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 15: Motorola Moto G XT1032

Handset Maker

Motorola

Handset Model Name

FCC ID

Moto G XT1032

IHDT56PF1

Moto G XT1033

IHDT56PF1

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 07/15

Ratings

M-Rating: M3

M-Rating Certification Date: 09/17/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/17/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 16: Motorola Moto G XT1045

Handset Maker

Motorola

Handset Model Name FCC ID

Moto G XT1045 IHDT56PG1

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 10/15

Ratings

M-Rating: M3

M-Rating Certification Date: 02/13/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/13/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 17: Motorola Moto G XT1063

Handset Maker

Motorola

Handset Model Name FCC ID

Moto G XT1063 IHDT56QB1

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 04/16

Ratings

M-Rating: M3

M-Rating Certification Date: 06/26/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/26/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 18: Motorola Moto G XT1064

Handset Maker

Motorola

Handset Model Name FCC ID

Moto G XT1064 IHDT56QB2

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 07/16/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/16/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 19: Motorola Moto X (2nd) XT1093

Handset Maker

Motorola

Handset Model Name

Moto X (2nd) XT1093

FCC ID

IHDT56QA3

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz GSM

850 MHz CDMA

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 09/09/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/09/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 20: Motorola Moto X (2nd) XT1096

Handset Maker

Motorola

Handset Model Name

FCC ID

Moto X (2nd) XT1096

IHDT56QA2

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz CDMA

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2500 MHz LTE

Dates

This handset model was offered from: 07/15 to 03/16

Ratings

M-Rating: M4

M-Rating Certification Date: 09/02/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/02/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 21: Motorola Moto X (2nd) XT1097

Handset Maker

Motorola

Handset Model Name FCC ID

Moto X (2nd) XT1097 IHDT56QA1

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 08/24/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/24/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 22: Motorola Moto X Style (XT1572)

Handset Maker

Motorola

Handset Model Name

Moto X Style (XT1572)

FCC ID

IHDT56UC2

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 09/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 07/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 23: Motorola Moto X Style (XT1575)

Handset Maker

Motorola

Handset Model Name

Moto X Style (XT1575)

FCC ID

IHDT56UC1

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA

850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.5 GHz LTE

Dates

This handset model was offered from: 08/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 07/07/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/07/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 24: Motorola Moto X XT1058

Handset Maker

Motorola

Handset Model Name

FCC ID

Moto X XT1058

IHDT56PA1

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/15 to 07/15

Ratings

M-Rating: M3

M-Rating Certification Date: 05/10/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 05/10/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 25: Motorola Moto Z Droid

Handset Maker

Motorola

Handset Model Name

FCC ID

Moto Z Droid

IHDT56VB1

XT1650-01

IHDT56VB1

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz CDMA

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.5 GHz LTE

Dates

This handset model was offered from: 06/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 06/15/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/15/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 26: Motorola Nexus 6 XT1100

Handset Maker

Motorola

Handset Model Name

Nexus 6 XT1100

FCC ID

IHDT56QD2

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

2.5 GHz LTE

Dates

This handset model was offered from: 07/15 to 03/16

Ratings

M-Rating: M4

M-Rating Certification Date: 10/24/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/24/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 27: Motorola Nexus 6 XT1103

Handset Maker

Motorola

Handset Model Name

Nexus 6 XT1103

FCC ID

IHDT56QD1

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2.5 GHz LTE

Dates

This handset model was offered from: 07/15 to 02/16

Ratings

M-Rating: M4

M-Rating Certification Date: 10/24/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/24/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 28: Motorola XT1585

Handset Maker

Motorola

Handset Model Name

XT1585

FCC ID

IHDT56UA1

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 10/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 08/12/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 08/12/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Certification

This Report has been certified by:

John J Lewczak Distinguished Member of Technical Staff
07/13/2016 04:00 PM